



Dr. Henrik Behrend

contact

titel	Dr. med.
first name	Henrik
last name	Behrend
country	Switzerland
phone number	0041 71 494 1401
e-mail	henrik.behrend@kssg.ch

publications

title

journal paper/ review

Hochreiter B, Strahm C, Behrend H. Short-interval two-stage approach to primary total knee arthroplasty for acutely septic osteoarthritic knees. Knee Surg Sports Traumatol Arthrosc 2016;.

Fenner V U, Behrend H, Kuster M S. Joint Mechanics After Total Knee Arthroplasty While Descending Stairs. J Arthroplasty 2016;.

Ismailidis P, Kuster M S, Jost B, Giesinger K, Behrend H. Clinical outcome of increased flexion gap after total knee arthroplasty. Can controlled gap imbalance improve knee flexion?. Knee Surg Sports Traumatol Arthrosc 2016;.

Trinler U K, Baty F, Mündermann A, Fenner V, Behrend H, Jost B, Wegener R. Stair dimension affects knee kinematics and kinetics in patients with good outcome after TKA similarly as in healthy subjects. J Orthop Res 2016;.

Matsumoto M, Baba T, Homma Y, Kobayashi H, Ochi H, Yuasa T, Behrend H, Kaneko K. Validation study of the Forgotten Joint Score-12 as a universal patient-reported outcome measure. Eur J Orthop Surg Traumatol 2015;.

Giesinger J M, Hamilton D F, Jost B, Behrend H, Giesinger K. WOMAC, EQ-5D and Knee Society Score Thresholds for Treatment Success After Total Knee Arthroplasty. J Arthroplasty 2015;.

Langen S, Gaber S, Zdravkovic V, Giesinger K, Jost B, Behrend H. Lateral subvastus approach with tibial tubercle osteotomy for primary total knee arthroplasty: clinical outcome and complications compared to medial parapatellar approach. Eur J Orthop Surg Traumatol 2015;.

Giesinger K, Behrend H. Der "Forgotten Joint Score" - Ein operiertes Gelenk im Alltag vergessen: Massstab und Ziel einer erfolgreichen Behandlung: Leading Opinions Orthopädie und Rheumatologie 1/2014; 28-30. 2014;.

publications

title

journal paper/ review

V F, Behrend H, MS K. Whole body gait function during stair ascent and level walking in patients following total knee arthroplasty. *Int J Phys Med Rehabil* 2014; 2:231-237.

Attinger M C, Behrend H, Jost B. Complete rupture of the popliteal artery complicating high tibial osteotomy. *J Orthop* 2014; 11:192-6.

von der Heide N, Ebnetter L, Behrend H, Stutz G. Improvement of primary stability in ACL reconstruction by mesh augmentation of an established method of free tendon graft fixation. A biomechanical study on a porcine model. *Knee* 2013; 20:79-84.

Giesinger J, Behrend H, Giesinger K. Association of psychological status and patient-reported physical outcome measures in joint arthroplasty: a lack of divergent validity. *Health Qual Life Outcomes* 2013; 11:1477-7525-11-64.

Hertel P, Behrend H. BTB double bundle ACL reconstruction using a pressfit technique without fixation material. *Techniques in Orthopaedics* 2013; 2:133-140.

Behrend H, Giesinger K, Giesinger J, Kuster M S. The "forgotten joint" as the ultimate goal in joint arthroplasty: validation of a new patient-reported outcome measure. *J Arthroplasty* 2012; 27:430-436.e1.

Hertel P, Behrend H. Implant-free anterior cruciate ligament reconstruction with the patella ligament and press-fit double bundle technique. *Unfallchirurg* 2010; 113(7):540-548.

MA K, Behrend H, A R, G S, MS K. Konservative oder operative Behandlung nach Ruptur des vorderen Kreuzbandes - Ein Therapiekonzept unter Berücksichtigung von Arthroseentwicklung und Funktion im Langzeitverlauf: *Rheumatologie und Traumatologie*. 2009;.

publications

title

journal paper/ review

Kessler M A, Behrend H, Henz S, Rukavina A. Function, osteoarthritis and activity after ACL-rupture: 11 years follow-up results of conservative versus reconstructive treatment. Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA 2008; 16:442-8.

Behrend H, C W. Reisebericht AGA-SFA Travelling Fellowship 2006: Arthroscopie 2007 Mai. 20/2: 165 - 167. 2007;.

Behrend H, Stutz G, Kessler M A, Rukavina A, Giesinger K, Kuster M S. Tunnel placement in anterior cruciate ligament (ACL) reconstruction: quality control in a teaching hospital. Knee Surg Sports Traumatol Arthrosc 2006; 14:1159-65.

Behrend H, Bähthi H. Knee ligament injuries. Praxis 2006; 95:1663-71.

Hertel P, Behrend H, Cierpinski T, Musahl V, Widjaja G. ACL reconstruction using bone-patellar tendon-bone press-fit fixation: 10-year clinical results. Knee surgery, sports traumatology, arthroscopy : official journal of the ESSKA 2005; 13:248-55.

MA K, G S, Behrend H, A R, MS K. Is ACL-Reconstruction necessary to prevent Osteoarthritis? 12 Yeas follow-up Results after non-operative treatment of ACL-Rupture: British Journal of Sportsmedicine. 2005;.

Behrend H, Hertel P. Results of the surgical treatment of arthro-fibrosis of the knee. Der Unfallchirurg 2003; 106:483-91.

book chapter

Behrend H (2010). Erkrankungen und Verletzungen von Kniegelenk und Unterschenkel. In Verletzungen des Kapsel-Bandapparates: Springer-Verlag.

Kessler M, & Behrend H (2009). Frakturen der oberen Extremität. In Klinikmanual Chirurgie (pp. 250-273). Heidelberg: Springer.

publications

title

**book
chapter**

Behrend H (2009). Frakturen der unteren Extremität. In Klinikmanual Chirurgie (pp. 274-311). Heidelberg: Springer.

Behrend H (2009). Weichteilverletzungen. In Klinikmanual Chirurgie (pp. 329-341). Heidelberg: Springer.

M K, & Behrend H (2009). Frakturen am Körperstamm. In Klinikmanual Chirurgie: Heidelberg: Springer, 2009.- ISBN 978-3-540-72507-7, S. 312-315.

Behrend H (2009). Luxationen. In Klinikmanual Chirurgie (pp. 316-328). Heidelberg: Springer-Verlag.



projects

title	status
Vitamin C Hauptstudie	automat- ically closed