

Dr. med. Micha T. Maeder

Kantonsspital St.Gallen
KARDIO
Rorschacherstrasse 95
9007 St. Gallen
Switzerland

publications

as of: 09.12.2019

journal paper/review

Gil Cruz C, Perez Shibayama C, De Martin A, Ronchi F, van der Borght K, Niederer R, Onder L, Lütge M, Novkovic M, Nindl V, Ramos G, Arnoldini M, Slack E M C, Boivin-Jahns V, Jahns R, Wyss M, Mooser C, Lambrecht B N, Maeder M T, Rickli H, Flatz L, Eriksson U, Geuking M B, McCoy K D, Ludewig B. Microbiota-derived peptide mimics drive lethal inflammatory cardiomyopathy. *Science* 2019; 366:881-886.

Neurauter E, Leschka S, Wildermuth S, Ehl N, Jörg L, Rickli H, Maeder M T. Use of coronary computed tomography angiography in clinical practice - single centre experience in Switzerland in light of current recommendations based on pretest probability considerations. *Swiss Med Wkly* 2019; 149:w20010.

Maeder M T, Brenner R. Resting Heart Rate "Kinetics": Paradox or Means to Understand the Link Between Hypertension and Heart Failure?. *Am J Hypertens* 2018; 31:1090-1092.

Weber L, Rickli H, Haager P K, Jörg L, Weilenmann D, Brenner R, Taramasso M, Baier P, Maisano F, Maeder M T. Haemodynamic mechanisms and long-term prognostic impact of pulmonary hypertension in patients with severe aortic stenosis undergoing valve replacement. *Eur J Heart Fail* 2018;.

Maeder M T, Ehl N. When the Right Is Not Doing Right: The Role of Strain Imaging in Pulmonary Arterial Hypertension. *Can J Cardiol* 2018; 34:962-964.

Davarzani N, Sanders-van Wijk S, Maeder M T, Rickenbacher P, Smirnov E, Karel J, Suter T, de Boer R A, Block D, Rolny V, Zaugg C, Pfisterer M E, Peeters R, Brunner-La Rocca H P, TIME-CHF Investigators . Novel concept to guide systolic heart failure medication by repeated biomarker testing-results from TIME-CHF in context of predictive, preventive, and personalized medicine. *EPMA J* 2018; 9:161-173.

Maeder M T, Buser M, Brenner R, Rickli H. [Heart failure with preserved ejection fraction (HFpEF)]. *Ther Umsch* 2018; 75:161-169.

Steinmann E, Brunner-La Rocca H P, Maeder M T, Kaufmann B A, Pfisterer M, Rickenbacher P. Is the clinical presentation of chronic heart failure different in elderly versus younger patients and those with preserved versus reduced ejection fraction?. *Eur J Intern Med* 2018;.

- Maeder M T, Weber L, Buser M, Gerhard M, Haager P K, Maisano F, Rickli H. Pulmonary Hypertension in Aortic and Mitral Valve Disease. *Front Cardiovasc Med* 2018; 5:40.
- Wienbergen H, Pfister O, Hochadel M, Fach A, Backhaus T, Bruder O, Remppis B A, Maeder M T, von Scheidt W, Pauschinger M, Senges J, Hambrecht R, RAID-HF (Registry Analysis of Iron Deficiency-Heart Failure) Study Group . Long-term effects of iron deficiency in patients with heart failure with or without anemia: the RAID-HF follow-up study. *Clin Res Cardiol* 2018;.
- Biasco L, Radovanovic D, Moccetti M, Rickli H, Roffi M, Eberli F, Jeger R, Moccetti T, Erne P, Pedrazzini G. New-onset or Pre-existing Atrial Fibrillation in Acute Coronary Syndromes: Two Distinct Phenomena With a Similar Prognosis. *Rev Esp Cardiol (Engl Ed)* 2018;.
- Brenner R, Diethelm M, Maeder M T. Blutdruck und akutes Koronarsyndrom – Pathophysiologie, Prognose und Therapie. *LEADING OPTIONS Innere Medizin* 2017; 2017:18-20.
- Davarzani N, Sanders-van Wijk S, Karel J, Maeder M T, Leibundgut G, Gutmann M, Pfisterer M E, Rickenbacher P, Peeters R, Brunner-La Rocca H P. N-Terminal Pro-B-Type Natriuretic Peptide-Guided Therapy in Chronic Heart Failure Reduces Repeated Hospitalizations-Results From TIME-CHF. *J Card Fail* 2017; 23:382-389.
- Boehnel C, Rickli H, Graf L, Maeder M T. Coronary angiography with or without percutaneous coronary intervention in patients with hemophilia-Systematic review. *Catheter Cardiovasc Interv* 2017;.
- Maeder M T, Nägele R, Rohner P, Weilenmann D. Pulmonary hypertension in stiff left atrial syndrome: pathogenesis and treatment in one. *ESC Heart Fail* 2017;.
- Rigamonti F, Fahrni G, Maeder M T, Cook S, Weilenmann D, Wenaweser P, Röthlisberger C, Corti R, Rickli H, Kaiser C, Roffi M. Switzerland: coronary and structural heart interventions from 2010 to 2015. *EuroIntervention* 2017; 13:Z75-Z79.
- Nanayakkara S, Haykowsky M, Mariani J, van Empel V, Maeder M T, Vizi D, Kaye D M. Hemodynamic Profile of Patients With Heart Failure and Preserved Ejection Fraction Vary by Age. *J Am Heart Assoc* 2017; 6:.
- Maeder M T, Thompson B R, Kaye D M. Inverse Association Between Myocardial B-Type Natriuretic Peptide Release and Functional Capacity in Healthy Humans. *Heart Lung Circ* 2017;.
- Maeder M T, König T, Bogdanovic S, Schneider I, Eugster W, Ammann P, König M, Beer J, Rickli H. Quality of vitamin K antagonist oral anticoagulation in 322 patients with atrial fibrillation - real-life data from a survey in Eastern Switzerland. *Swiss Med Wkly* 2017; 147:w14503.
- Rickenbacher P, Kaufmann B A, Maeder M T, Bernheim A, Goetschalckx K, Pfister O, Pfisterer M, Brunner-La Rocca H P, . Heart failure with mid-range ejection fraction: a distinct clinical entity? Insights from the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF). *Eur J Heart Fail* 2017;.
- Wienbergen H, Pfister O, Hochadel M, Michel S, Bruder O, Remppis B A, Maeder M T, Strasser R, von Scheidt W, Pauschinger M, Senges J, Hambrecht R, . Usefulness of Iron Deficiency Correction in Management of Patients With Heart Failure [from the Registry Analysis of Iron Deficiency-Heart Failure (RAID-HF) Registry]. *Am J Cardiol* 2016; 118:1875-1880.
- Maeder M T, Mueller C, Schoch O, Ammann P, Rickli H. Biomarkers of cardiovascular stress in obstructive sleep apnea. *Clin Chim Acta* 2016; 460:152-63.

- Uszko-Lencer N H M K, Frankenstein L, Spruit M A, Maeder M T, Gutmann M, Muzzarelli S, Osswald S, Pfisterer M E, Zugck C, Brunner-La Rocca H P, . Predicting hospitalization and mortality in patients with heart failure: The BARDICHE-index. *Int J Cardiol* 2016; 227:901-907.
- Rigger J, Ehl N, Nägele R, Rickli H, Maeder M T. Kounis syndrome revisited: Systemic mastocytosis and severe coronary artery disease. *Int J Cardiol* 2016; 214:510-1.
- Maeder M T, Zurek M, Rickli H, Tobler D, Kiencke S, Suter T, Yoon S I, Julius B, Pfisterer M E, Brunner-La Rocca H P, . Prognostic Value of the Change in Heart Rate From the Supine to the Upright Position in Patients With Chronic Heart Failure. *J Am Heart Assoc* 2016; 5:.
- Maeder M T, Karapanagiotidis S, Dewar E M, Kaye D M. Accuracy of Echocardiographic Cardiac Index Assessment in Subjects with Preserved Left Ventricular Ejection Fraction. *Echocardiography* 2015; 32:1628-38.
- Häfliger M, Weilenmann D, Rickli H, Maeder M T. Recurrent left anterior descending artery spasm causing transmural ischaemia treated with stenting. *Eur Heart J* 2015;.
- Diethelm M, Maeder M T, Rickli H. Update hypertensive Herzkrankheit. *CARDIOVASCULAR MEDICINE – KARDIOVASKULÄRE MEDIZIN – MÉDECINE CARDIOVASCULAIRE* 2015; 18:312-318.
- Maeder M T, Buser M, Felizeter-Kessler M, Lenggenhager D. Reply: The Role of Immunohistochemistry in Diagnosis of Pulmonary Tumor Thrombotic Microangiopathy. *Am J Respir Crit Care Med* 2015; 192:116-7.
- Franzone A, Pilgrim T, Heg D, Roffi M, Tüller D, Vuilliomenet A, Muller O, Cook S, Weilenmann D, Kaiser C, Jamshidi P, Räber L, Stortecky S, Wenaweser P, Jüni P, Windecker S. Clinical outcomes according to diabetic status in patients treated with biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents: prespecified subgroup analysis of the BIOSCIENCE trial. *Circ Cardiovasc Interv* 2015; 8:.
- Buser M, Felizeter-Kessler M, Lenggenhager D, Maeder M T. Rapidly progressive pulmonary hypertension in a patient with pulmonary tumor thrombotic microangiopathy. *Am J Respir Crit Care Med* 2015; 191:711-2.
- Kaufmann B A, Goetschalckx K, Min S Y, Maeder M T, Bucher U, Nietlispach F, Bernheim A M, Pfisterer M E, Rocca H P B L, TIME-CHF Investigators . Improvement in left ventricular ejection fraction and reverse remodeling in elderly heart failure patients on intense NT-proBNP-guided therapy. *Int J Cardiol* 2015; 191:286-93.
- Maeder M T, Kleiner R, Weilenmann D. Severely worsening dyspnea after initiation of macitentan therapy for pulmonary arterial hypertension. *Int J Cardiol* 2015; 202:244-5.
- Ehl N, Maeder M T, Jörg L. Isolated cardiac sarcoidosis: critical role of cardiac MRI for diagnosis and management. *Eur Heart J* 2015;.
- rogowski s, Maeder M T, Weilenmann D, Haager P K, Ammann P, Rohner F, Jörg L, Rickli H. Spontaneous Coronary Artery Dissection: Angiographic Follow-Up and Long-Term Clinical Outcome in a Predominantly Medically Treated Population. *Catheter Cardiovasc Interv* 2015;.
- Sanders-van Wijk S, van Empel V, Davarzani N, Maeder M T, Handschin R, Pfisterer M E, Brunner-La Rocca H P, TIME-CHF Investigators . Circulating biomarkers of distinct pathophysiological pathways in heart failure with preserved vs. reduced left ventricular ejection fraction. *Eur J Heart Fail* 2015; 17:1006-14.

- Rigger J, Ehl N, Nägele R, Rickli H, Maeder M T. Giant biventricular thrombi in a patient with heart failure and heparin-induced thrombocytopenia. *Int J Cardiol* 2015; 182C:377-378.
- Weidmann Z M, Breidthardt T, Twerenbold R, Züsli C, Nowak A, von Eckardstein A, Erne P, Rentsch K, de Oliveira M T, Gualandro D, Maeder M T, Rubini Gimenez M, Pershyna K, Stallone F, Haas L, Jaeger C, Wildi K, Puelacher C, Honegger U, Wagener M, Wittmer S, Schumacher C, Krivoshei L, Hillinger P, Osswald S, Mueller C. Prediction of mortality using quantification of renal function in acute heart failure. *Int J Cardiol* 2015; 201:650-7.
- Zurek M, Maeder M T, Rickli H, Muzzarelli S, Sanders-van Wijk S, Abbühl H, Handschin R, Jeker U, Pfisterer M, Brunner-La Rocca H P, TIME-CHF Investigators . Differential Prognostic Impact of Resting Heart Rate in Older Compared to Younger Patients with Chronic Heart Failure - Insights from TIME-CHF. *J Card Fail* 2015;.
- Vollenbroich R, Maeder M T, Abt D. Use of optical coherence tomography in acute clinical settings. *Int J Cardiol* 2014; 174:e62-3.
- Brunner-La Rocca H P, Knackstedt C, Eurlings L, Rolny V, Krause F, Pfisterer M E, Tobler D, Rickenbacher P, Maeder M T, TIME-CHF investigators . Impact of worsening renal function related to medication in heart failure. *Eur J Heart Fail* 2014; 17:159-68.
- Maeder M T, Strobel W, Christ M, Todd J, Estis J, Wildi K, Thalmann G, Hilti J, Brutsche M, Twerenbold R, Rickli H, Mueller C. Comprehensive biomarker profiling in patients with obstructive sleep apnea. *Clin Biochem* 2014;.
- Pilgrim T, Roffi M, Tüller D, Muller O, Vuillomenet A, Cook S, Weilenmann D, Kaiser C, Jamshidi P, Heg D, Jüni P, Windecker S. Randomized comparison of biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents for percutaneous coronary revascularization: rationale and design of the BIOSCIENCE trial. *Am Heart J* 2014; 168:256-61.
- Brenner R, Maeder M T, Trachsel L, Ammann P, Ammann P, Korte W. Complement factor concentrations in patients with acute myocardial infarction: time course and ability to predict left ventricular dysfunction. *Biomark Med* 2014; 8:247-58.
- Ellims A H, Taylor A J, Mariani J A, Ling L H, Iles L M, Maeder M T, Kaye D M. Evaluating the utility of circulating biomarkers of collagen synthesis in hypertrophic cardiomyopathy. *Circ Heart Fail* 2014; 7:271-8.
- Kaye D M, Mariani J A, van Empel V, Maeder M T. Determinants and implications of elevated soluble ST2 levels in heart failure. *Int J Cardiol* 2014; 176:1242-3.
- Peeters J M P W U, Sanders-van Wijk S, Bektas S, Knackstedt C, Rickenbacher P, Nietlisbach F, Handschin R, Maeder M T, Muzzarelli S F, Pfisterer M E, Brunner-La Rocca H P. Biomarkers in outpatient heart failure management; Are they correlated to and do they influence clinical judgment?. *Neth Heart J* 2014; 22:115-21.
- Zurek M, Maeder M T, Brutsche M, Lüthi A, Twerenbold R, Freese M, Rickli H, Mueller C. Midregional pro-adrenomedullin and copeptin: exercise kinetics and association with the cardiopulmonary exercise response in comparison to B-type natriuretic peptide. *Eur J Appl Physiol* 2014; 114:815-24.
- Ehl N, Zurek M, Rickli H, Maeder M T. "Double takotsubo": first description of the sequence of classical followed by inverted type in a young woman. *Int J Cardiol* 2014; 174:e36-7.

- Huijts M, van Oostenbrugge R J, Duits A, Burkard T, Muzzarelli S, Maeder M T, Schindler R, Pfisterer M E, Brunner-La Rocca H P, TIME-CHF Investigators . Cognitive impairment in heart failure: results from the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF) randomized trial. *Eur J Heart Fail* 2013; 15:699-707.
- Vollenbroich R, Maeder M T, Weilenmann D. Congestive heart failure related to antifungal therapy with itraconazole. *Int J Cardiol* 2013; 172:e170-1.
- Maeder M T, Rickenbacher P, Rickli H, Abbühl H, Gutmann M, Erne P, Vuilliamenet A, Peter M, Pfisterer M, Brunner-La Rocca H P, TIME-CHF Investigators . N-terminal pro brain natriuretic peptide-guided management in patients with heart failure and preserved ejection fraction: findings from the Trial of Intensified versus standard medical therapy in elderly patients with congestive heart failure (TIME-CHF). *Eur J Heart Fail* 2013; 15:1148-56.
- Abbas A E, Franey L M, Marwick T, Maeder M T, Kaye D M, Vlahos A P, Serra W, Al-Azizi K, Schiller N B, Lester S J. Noninvasive assessment of pulmonary vascular resistance by Doppler echocardiography. *J Am Soc Echocardiogr* 2013; 26:1170-7.
- van Empel V P M, Kaufmann B A, Bernheim A M, Goetschalckx K, Min S Y, Muzzarelli S, Pfisterer M E, Kiencke S, Maeder M T, Brunner-La Rocca H P. Interaction between pulmonary hypertension and diastolic dysfunction in an elderly heart failure population. *J Card Fail* 2013; 20:98-104.
- Sanders-van Wijk S, Maeder M T, Nietlispach F, Rickli H, Estlinbaum W, Erne P, Rickenbacher P, Peter M, Pfisterer M P, Brunner-La Rocca H P, TIME-CHF Investigators . Long-term results of intensified, N-terminal-pro-B-type natriuretic peptide-guided versus symptom-guided treatment in elderly patients with heart failure: five-year follow-up from TIME-CHF. *Circ Heart Fail* 2013; 7:131-9.
- Maeder M T. More on heart rate variability in obstructive sleep apnea: confusion on a higher level or first step to unravel the cardiovascular mystery of the sleep apnea patient?. *Sleep Breath* 2013;.
- Maeder M T. Comorbidities in patients with acute coronary syndrome: rare and negligible in trials but common and crucial in the real world. *Heart* 2013; 100:268-70.
- Maeder M T, Rickli H. [Heart failure with preserved left ventricular ejection fraction]. *Praxis (Bern 1994)* 2013; 102:1299-307.
- Ehl N, Rohner F, Maeder M T, Rickli H. Left ventricular apical thrombus many months after pericardial biopsy. *Cardiovascular Medicine* 2013; 16:132-133.
- Maeder M T. Ultrasensitive cardiac troponin and myocardial strain predict cardiotoxicity. *Biomark Med* 2012; 6:785-8.
- Zurek M, Maeder M T, Brutsche M H, Christ A, Bosshard P, Ziller R, Rickli H, Kaye D M, Mueller C. Does hypoxemia have an impact on the cardiac release and circulating concentrations of natriuretic peptides in humans in vivo?. *Int J Cardiol* 2012;.
- Kaye D M, Khammy O, Mariani J, Maeder M T. Relationship of circulating matrix biomarkers to myocardial matrix metabolism in advanced heart failure. *Eur J Heart Fail* 2012; 15:292-8.
- hottkowitz c, Ammann P, Kleger G R, Künzli A, Hack D, Rickli H, Maeder M T. Successful management of a case of electrical storm due to invasive endocarditis. *Can J Cardiol* 2012; 28:245.e13-5.

- Maeder M T. Reduced left atrial early strain rate following acute sleep deprivation: chance finding or chance to find out more on the conundrum of sleep and cardiovascular disease?. *Sleep Breath* 2012;.
- Camuglia A C, Maeder M T, Starr J, Farrington C, Kaye D M. Impact of N-acetylcysteine on endothelial function, B-type natriuretic peptide and renal function in patients with the cardiorenal syndrome: a pilot cross over randomised controlled trial. *Heart Lung Circ* 2012; 22:256-9.
- Stauffer J C, Goy J J, Duvoisin N, Radovanovic D, Rickli H, Erne P, AMIS group . Dramatic effect of early clopidogrel administration in reducing mortality and MACE rates in ACS patients. Data from the Swiss registry AMIS-Plus. *Swiss Med Wkly* 2012; 142:w13573.
- Spruit M A, Maeder M T, Knackstedt C, Ammann P, Jeker U, Uszko-Lencer N H M K, Kiencke S, Pfisterer M E, Rickli H, Brunner-La Rocca H P, TIME-CHF Investigators . Prognostic value of self-reported versus objectively measured functional capacity in patients with heart failure: results from the TIME-CHF (Trial of Intensified Versus Standard Medical Therapy in Elderly Patients with Congestive Heart Failure). *J Am Coll Cardiol* 2012; 60:2125-6.
- Jörg L, Kim O C H, Geyer R, Maeder M T. Multimodal imaging of anomalous pulmonary venous return in an adult patient with Scimitar syndrome. *Eur Heart J* 2012; 33:2679.
- Brenner R, Weilenmann D, Maeder M T, Jörg L, Bluzaitė I, Rickli H, De Pasquale G, Ammann P. Clinical characteristics, sex hormones, and long-term follow-up in Swiss postmenopausal women presenting with Takotsubo cardiomyopathy. *Clin Cardiol* 2012; 35:340-7.
- Maeder M T, Rickli H, Pfisterer M E, Muzzarelli S, Ammann P, Fehr T, Hack D, Weilenmann D, Dieterle T, Kiencke S, Estlinbaum W, Brunner-La Rocca H P, TIME-CHF Investigators . Incidence, clinical predictors, and prognostic impact of worsening renal function in elderly patients with chronic heart failure on intensive medical therapy. *Am Heart J* 2012; 163:407-14, 414.e1.
- Jeger R, Pfisterer M, Alber H, Eberli F, Galatius S, Naber C, Pedrazzini G, Rickli H, Jensen J S, Vuillomenet A, Gilgen N, Kaiser C. Newest-generation drug-eluting and bare-metal stents combined with prasugrel-based antiplatelet therapy in large coronary arteries: the BASel Stent Kosten Effektivitäts Trial PROspective Validation Examination part II (BASKET-PROVE II) trial design. *Am Heart J* 2012; 163:136-41.e1.
- Maeder M T, Thompson B R, Htun N, Kaye D M. Hemodynamic determinants of the abnormal cardiopulmonary exercise response in heart failure with preserved left ventricular ejection fraction. *J Card Fail* 2012; 18:702-10.
- Maeder M T. Heart rate recovery in obstructive sleep apnea: scientific toy or clinical tool?. *Sleep Breath* 2011;.
- Brunner-La Rocca H P, Rickenbacher P, Muzzarelli S, Schindler R, Maeder M T, Jeker U, Kiowski W, Leventhal M E, Pfister O, Osswald S, Pfisterer M E, Rickli H, TIME-CHF Investigators . End-of-life preferences of elderly patients with chronic heart failure. *Eur Heart J* 2011; 33:752-9.
- Maeder M T, Karapanagiotidis S, Dewar E M, Gamboni S E, Htun N, Kaye D M. Accuracy of Doppler echocardiography to estimate key hemodynamic variables in subjects with normal left ventricular ejection fraction. *J Card Fail* 2011; 17:405-12.
- Maeder M T, Khammy O, dos Remedios C, Kaye D M. Myocardial and systemic iron depletion in heart failure implications for anemia accompanying heart failure. *J Am Coll Cardiol* 2011; 58:474-80.

- Ehl N, Sündermann S, Geyer R, Thies S, Epp C, Weilenmann D, Falk V, Jörg L, Rickli H, Maeder M T. Constrictive pericarditis presenting as a large mediastinal mass causing functional tricuspid and pulmonary stenosis. *Circulation* 2011; 124:e487-91.
- Maeder M T, Kaye D M. Transcardiac gradients of B-type natriuretic peptides are increased in human pulmonary arterial hypertension. *Int J Cardiol* 2011; 151:117-9.
- Maeder M T, Rickli H. [The diagnosis of heart failure]. *Ther Umsch* 2011; 68:65-70.
- Muzzarelli S, Maeder M T, Toggweiler S, Rickli H, Nietlispach F, Julius B, Burkard T, Pfisterer M E, Brunner-La Rocca H P, TIME-CHF Investigators . Frequency and predictors of hyperkalemia in patients ≥ 60 years of age with heart failure undergoing intense medical therapy. *Am J Cardiol* 2011; 109:693-8.
- Ehl N, Koller R, Maeder M T, Rickli H. Recurrent pericarditis caused by transdiaphragmatic migration of surgical tacks. *Eur Heart J* 2010; 31:2807.
- Altmann D, Ullmer E, Rickli H, Maeder M T, Sticherling C, Schaer B A, Osswald S, Ammann P. Clinical impact of screening for sleep related breathing disorders in atrial fibrillation. *Int J Cardiol* 2010; 154:256-8.
- Maeder M T, Gamboni S E, Kaye D M. Temporal changes in diastolic function in heart failure patients with restrictive filling. *Int J Cardiol* 2010; 146:246-8.
- Maeder M T, Brutsche M, Arenja N, Socrates T, Reiter M, Meissner J, Staub D, Morgenthaler N G, Bergmann A, Mueller C. Biomarkers and peak oxygen uptake in patients with chronic lung disease. *Respiration* 2010; 80:543-52.
- Maeder M T, Kaye D M. Differential impact of heart rate and blood pressure on outcome in patients with heart failure with reduced versus preserved left ventricular ejection fraction. *Int J Cardiol* 2010; .
- Maeder M T, Mariani J A, Kaye D M. Hemodynamic determinants of myocardial B-type natriuretic peptide release: relative contributions of systolic and diastolic wall stress. *Hypertension* 2010; 56:682-9.
- Maeder M T, Ammann P, Rickli H. The diagnosis of heart failure with normal ejection fraction--a demanding task!. *Swiss Med Wkly* 2010; 140:323; author reply 324.
- Maeder M T, Staub D, Brutsche M, Arenja N, Socrates T, Reiter M, Meissner J, Morgenthaler N G, Bergmann A, Struck J, Mueller C. Copeptin response to clinical maximal exercise tests. *Clin Chem* 2010; 56:674-6.
- Maeder M T, Thompson B R, Brunner-La Rocca H P, Kaye D M. Hemodynamic basis of exercise limitation in patients with heart failure and normal ejection fraction. *J Am Coll Cardiol* 2010; 56:855-63.
- Pfluger H B, Maeder M T, LaGerche A, Taylor A J. One- and two-dimensional estimation of right and left ventricular size and function-comparison with cardiac magnetic resonance imaging volumetric analysis. *Heart Lung Circ* 2010; 19:541-8.
- Altmann D R, Korte W, Maeder M T, Fehr T, Haager P K, Rickli H, Kleger G R, Rodriguez R, Ammann P. Elevated cardiac troponin I in sepsis and septic shock: no evidence for thrombus associated myocardial necrosis. *PLoS ONE* 2010; 5:e9017.
- Muzzarelli S, Leibundgut G, Maeder M T, Rickli H, Handschin R, Gutmann M, Jeker U, Buser P, Pfisterer M, Brunner-La Rocca H P, TIME-CHF Investigators . Predictors of early readmission or death in elderly patients with heart failure. *Am Heart J* 2010; 160:308-14.

- Maeder M T, Kaye D M. Heart failure with normal left ventricular ejection fraction. *Journal of the American College of Cardiology* 2009; 53:905-18.
- Maeder M T, Zellweger M J. [Diagnosis of coronary artery disease - part 2: Exercise electrocardiogram and myocardial perfusion scintigraphy]. *Praxis* 2009; 98:1067-74.
- Maeder M T, Ammann P, Schoch O, Rickli H, Korte W, Hürny C, Myers J, Münzer T. Determinants of postexercise heart rate recovery in patients with the obstructive sleep apnea syndrome. *Chest* 2009; 137:310-7.
- Maeder M T, Ammann P, Münzer T, Schoch O, Korte W, Hürny C, Myers J, Rickli H. Continuous positive airway pressure improves exercise capacity and heart rate recovery in obstructive sleep apnea. *International journal of cardiology* 2009; 132:75-83.
- Maeder M T. [Cardiopulmonary exercise testing for the evaluation of unexplained dyspnea]. *Therapeutische Umschau. Revue thérapeutique* 2009; 66:665-9.
- Maeder M T, Zellweger M J. [Diagnosis of coronary artery disease--part 1: general approach]. *Praxis* 2009; 98:1059-66.
- Maeder M T, Ammann P, Münzer T. Peak oxygen consumption and heart rate recovery in patients with the obstructive sleep apnea syndrome. *Chest* 2009; 135:584; author reply 584-5.
- Maeder M T, Leet A, Ross A, Esmore D, Kaye D M. Changes in right ventricular function during continuous-low left ventricular assist device support. *The Journal of heart and lung transplantation : the official publication of the International Society for Heart Transplantation* 2009; 28:360-6.
- Maeder M T, Brutsche M, Christ A, Staub D, Noveanu M, Breidhardt T, Schaub N, Potocki M, Reichlin T, Morgenthaler N G, Bergmann A, Mueller C. Midregional pro-A-type natriuretic peptide for the evaluation of exercise intolerance. *International journal of cardiology* 2009;.
- Maeder M T, Ammann P, Rickli H, Brunner-La Rocca H P. Impact of the exercise mode on heart rate recovery after maximal exercise. *European journal of applied physiology* 2009; 105:247-55.
- Maeder M T, Zellweger M J. [Diagnosis of coronary artery disease - part 3: Stress echocardiography and cardiac magnetic resonance imaging]. *Praxis* 2009; 98:1075-81.
- Maeder M T, Staub D, Surnier Y, Reichlin T, Noveanu M, Breidhardt T, Potocki M, Schaub N, Conen D, Mueller C. Determinants of absolute and relative exercise-induced changes in B-type natriuretic peptides. *International journal of cardiology* 2009;.
- Mueller C, Maeder M T, Christ A, Reichlin T, Staub D, Noveanu M, Breidhardt T, Potocki M, Brutsche M. B-type natriuretic peptides for the evaluation of exercise intolerance. *The American journal of medicine* 2009; 122:265-72.
- Maeder M T, Duerring C, Engel R, Boesch C, Pfisterer M E, Myers J, Müller-Brand J, Zellweger M J. Predictors of impaired heart rate recovery: a myocardial perfusion SPECT study. *European journal of cardiovascular prevention and rehabilitation : official journal of the European Society of Cardiology, Working Groups on Epidemiology & Prevention and Cardiac Rehabilitation and Exercise Physiology* 2009;.
- Maeder M T, Brutsche M, Christ A, Reichlin T, Staub D, Noveanu M, Breidhardt T, Potocki M, Mueller C. Natriuretic peptides for the prediction of severely impaired peak VO₂ in patients with lung disease. *Respiratory medicine* 2009; 103:1337-45.

- Maeder M T, Brutsche M, Staub D, Morgenthaler N G, Bergmann A, Noveanu M, Laule K, Breidhardt T, Christ A, Klima T, Reichlin T, Potocki M, Mueller C. B-type natriuretic peptide and C-terminal-pro-endothelin-1 for the prediction of severely impaired peak oxygen consumption. *Journal of internal medicine* 2009; 265:604-15.
- Maeder M T, Zellweger M J. [Diagnosis of coronary artery disease - part 4: Computed tomography and coronary angiography]. *Praxis* 2009; 98:1083-90.
- Di Valentino M, Maeder M T, Jaggi S, Schumann J, Sommerfeld K, Piazzalonga S, Hoffmann A. Prognostic value of cycle exercise testing prior to and after outpatient cardiac rehabilitation. *International journal of cardiology* 2008;.
- Maeder M T, Wolber T, Ammann P, Myers J, Brunner-La Rocca H P, Hack D, Riesen W, Rickli H. Cardiopulmonary exercise testing in mild heart failure: impact of the mode of exercise on established prognostic predictors. *Cardiology* 2008; 110:135-41.
- Maeder M T, Pfisterer M E, Buser P T, Roser H W, Roth J, Weilenmann D, Nietlispach F P, Zellweger M J, Amsler B, Kaiser C A. Long-term outcomes after intracoronary Beta-irradiation for in-stent restenosis in bare-metal stents. *The Journal of invasive cardiology* 2008; 20:179-84.
- Maeder M T, Mueller C, Pfisterer M E, Buser P T, Brunner-La Rocca H P. Use of B-type natriuretic peptide outside of the emergency department. *International journal of cardiology* 2008; 127:5-16.
- Maeder M T, Holst D P, Kaye D M. Tricuspid regurgitation contributes to renal dysfunction in patients with heart failure. *Journal of cardiac failure* 2008; 14:824-30.
- Maeder M T, Muenzer T, Rickli H, Brunner-La Rocca H P, Myers J, Ammann P. How accurately are maximal metabolic equivalents estimated based on the treadmill workload in healthy people and asymptomatic subjects with cardiovascular risk factors?. *International journal of sports medicine* 2008; 29:658-63.
- Maeder M T, Myers J. N-terminal pro-B-type natriuretic peptide and functional capacity in patients with obstructive sleep apnea. *Sleep & breathing = Schlaf & Atmung* 2008; 12:7-16.
- Maeder M T, Hack D, Rickli H, Rocca H P B L, Riesen W, Ammann P. Relevance of short-term variation of B-type natriuretic peptide in patients with clinically stable heart failure. *Wiener klinische Wochenschrift* 2008; 120:672-8.
- Maeder M T, Kaye D M. B-type natriuretic peptide in end-stage renal disease: a neurohormone rather than a volume status monitor. *Southern medical journal* 2008; 101:1081-2.
- Henz S, Maeder M T, Huber S, Schmid M, Loher M, Fehr T. Influence of drugs and comorbidity on serum potassium in 15 000 consecutive hospital admissions. *Nephrology, dialysis, transplantation : official publication of the European Dialysis and Transplant Association - European Renal Association* 2008; 23:3939-45.
- Maeder M T, Münzer T, Rickli H, Schoch O, Korte W, Hürny C, Ammann P. Association between heart rate recovery and severity of obstructive sleep apnea syndrome. *Sleep medicine* 2008; 9:753-61.
- Strasser F, Lutz T A, Maeder M T, Thürlimann B, Büche D, Tschöp M, Kaufmann K, Holst B, Brändle M, Von Moss R, cerny t, Demmer-Steingruber R. Safety, tolerability and pharmacokinetics of intravenous ghrelin for cancer-related anorexia/cachexia: a randomised, placebo-controlled, double-blind, double-crossover study. *BJC* 2008; 98:300-8.

- Blank R, Haager P K, Maeder M T, Genoni M, Rickli H. Giant right coronary artery aneurysm. *The Annals of thoracic surgery* 2007; 84:1740-2.
- Maeder M T, Stöckli M, Zellweger M J. Adenosine-induced severe acute respiratory distress in chronic obstructive pulmonary disease: a myth?. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2007; 137:212.
- Maeder M T, Wolber T, Rickli H, Myers J, Hack D, Riesen W, Weilenmann D, Ammann P. B-type natriuretic peptide kinetics and cardiopulmonary exercise testing in heart failure. *International journal of cardiology* 2007; 120:391-8.
- Maeder M T, Keller D I. [B-type natriuretic peptide (BNP) in the outpatient clinic--usefulness and pitfalls]. *Praxis* 2007; 96:1121-9.
- Wolber T, Maeder M T, Atefy R, Bluzaitte I, Blank R, Rickli H, Ammann P. Should routine echocardiography be performed in all patients with stroke?. *Journal of stroke and cerebrovascular diseases : the official journal of National Stroke Association* 2007; 16:1-7.
- Maeder M T, Rickli H, Sticherling C, Widmer R, Ammann P. Hypokalaemia and sudden cardiac death--lessons from implantable cardioverter defibrillators. *Emergency medicine journal : EMJ* 2007; 24:206-8.
- Wolber T, Maeder M T, Rickli H, Riesen W, Binggeli C, Duru F, Ammann P. N-terminal pro-brain natriuretic peptide used for the prediction of coronary artery stenosis. *European journal of clinical investigation* 2007; 37:18-25.
- Blank R, Wolber T, Maeder M T, Rickli H. Reversible cardiomyopathy in a patient with juvenile hemochromatosis. *International journal of cardiology* 2006; 111:161-2.
- Schneider T, Rickli H, Glied V, Maeder M T. Bland-White-Garland syndrome and atrial septal defect - rare association and diagnostic challenge. *Clinical research in cardiology : official journal of the German Cardiac Society* 2006; 95:295-300.
- Maeder M T, Wolber T, Künzli A, Genoni M, Blank R, Rickli H. Aortopulmonary fistula occurring 4 years after replacement of the ascending aorta. *The Annals of thoracic surgery* 2006; 81:e18-20.
- Wolber T, Maeder M T. Normal range of N-terminal pro-brain natriuretic peptide: a note of caution. *European heart journal* 2006; 27:622; author reply 622-3.
- Maeder M T, Brunner-La Rocca H P, Wolber T, Ammann P, Roelli H, Rohner F, Rickli H. Impact of a lead glass screen on scatter radiation to eyes and hands in interventional cardiologists. *Catheterization and cardiovascular interventions : official journal of the Society for Cardiac Angiography & Interventions* 2006; 67:18-23.
- Wolber T, Maeder M T, Weilenmann D, Duru F, Bluzaitte I, Riesen W, Rickli H, Ammann P. Integration of B-type natriuretic peptide levels with clinical data and exercise testing for predicting coronary artery disease. *The American journal of cardiology* 2006; 98:764-7.
- Maeder M T, Fehr T, Rickli H, Ammann P. Sepsis-associated myocardial dysfunction: diagnostic and prognostic impact of cardiac troponins and natriuretic peptides. *Chest* 2006; 129:1349-66.
- Maeder M T, Wolber T, Rickli H, Ammann P. Transient left ventricular "hypertrophy" in a woman with meningoencephalitis. *Echocardiography (Mount Kisco, N.Y.)* 2006; 23:582-4.

- Maeder M T, Ammann P, Drack G, Rickli H. Pregnancy-associated spontaneous coronary artery dissection: impact of medical treatment. Case report and systematic review. *Z Kardiol* 2005; 94:829-35.
- Maeder M T, Ammann P, Angehrn W, Rickli H. Idiopathic spontaneous coronary artery dissection: incidence, diagnosis and treatment. *International journal of cardiology* 2005; 101:363-9.
- Henz S, Maeder M T. Prospective study of accidental carbon monoxide poisoning in 38 Swiss soldiers. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:398-408.
- Sticherling C, Schaer B A, Ammann P, Maeder M T, Osswald S. Methadone-induced Torsade de pointes tachycardias. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2005; 135:282-5.
- Maeder M T, Ammann P, Kiowski W, Rickli H. B-type natriuretic peptide in patients with sepsis and preserved left ventricular ejection fraction. *European journal of heart failure : journal of the Working Group on Heart Failure of the European Society of Cardiology* 2005; 7:1164-7.
- Maeder M T, Wolber T, Atefy R, Gadza M, Ammann P, Myers J, Rickli H. Impact of the exercise mode on exercise capacity: bicycle testing revisited. *Chest* 2005; 128:2804-11.
- Maeder M T, Vogt P R, Ammann P, Rickli H. Bland-White-Garland syndrome in a 39-year-old mother. *The Annals of thoracic surgery* 2004; 78:1451-3.
- Maeder M T, binek j. [Impact of endoscopic ultrasonography in the diagnosis of aberrant right subclavian artery: a case report]. *Ultraschall in der Medizin (Stuttgart, Germany : 1980)* 2004; 25:296-8.
- Maeder M T, Klein M, Fehr T, Rickli H. Contrast nephropathy: review focusing on prevention. *Journal of the American College of Cardiology* 2004; 44:1763-71.
- Maeder M T, Vogt P R, Schaer G, von Graevenitz A, Günthard H F. Aortic homograft endocarditis caused by *Rhodotorula mucilaginosa*. *Infection* 2003; 31:181-3.
- Maeder M T, Ullmer E. Pneumomediastinum and bilateral pneumothorax as a complication of cocaine smoking. *Respiration; international review of thoracic diseases* 2003; 70:407.
- Maeder M T, Ammann P, Rickli H, Schoch O. Fever and night sweats in a 22-year-old man with a mediastinal mass involving the heart. *Chest* 2003; 124:2006-9.
- Maeder M T, Ammann P, Rickli H, Diethelm M. Elevation of B-type natriuretic peptide levels in acute respiratory distress syndrome. *Swiss medical weekly : official journal of the Swiss Society of Infectious Diseases, the Swiss Society of Internal Medicine, the Swiss Society of Pneumology* 2003; 133:515-8.
- Maeder M T, Ammann P, Angehrn W, Rickli H. [Spontaneous coronary artery dissection as a rare cause of an acute coronary syndrome]. *Zeitschrift für Kardiologie* 2002; 91:951-5.
- Prêtre R, Maeder M T, Turina M I. Technical considerations in the repair of combined aortic arch and diaphragm rupture after blunt trauma. *The Journal of trauma* 2001; 50:952-4.

Maeder M T, Wolber T, Atefy R, Gadza M, Ammann P, Myers J, Rickli H. A nomogram to select the optimal treadmill ramp protocol in subjects with high exercise capacity: validation and comparison with the Bruce protocol. *Journal of cardiopulmonary rehabilitation* 26:16-23.