

Dr. med. Rene Warschkow

Kantonsspital St.Gallen
Department of Surgery
Switzerland

publications

as of: 10.06.2022

journal paper/review

Alessandro O, Warschkow R, Stefan W, Filipovic M, Seule M, Oliver B, Pietsch U. C-reactive protein elevation predicts in-hospital deterioration after aneurysmal subarachnoid hemorrhage: a retrospective observational study. *Acta Neurochir (Wien)* 2022;.

Müller-Stich B P, Probst P, Nienhüser H, Fazeli S, Senft J, Kalkum E, Heger P, Warschkow R, Nickel F, Billeter A T, Grimminger P P, Gutschow C, Dabakuyo-Yonli T S, Piessen G, Paireder M, Schoppmann S F, Van Der Peet D L, Cuesta M A, Van Der Sluis P, Van Hillegersberg R, Hölscher A H, Diener M K, Schmidt T. Meta-analysis of randomized controlled trials and individual patient data comparing minimally invasive with open oesophagectomy for cancer. *Br J Surg* 2021; 108:1026-1033.

Widmann B, Almarie B, Warschkow R, Beutner U, Weitzendorfer M, Schmid M, Ukegjini K, Brunner W. Advanced Lymph Node Staging with Ex Vivo Intraarterial Indigo Carmine Injection after Transanal Total Mesorectal Excision for Rectal Cancer: A Retrospective Cohort Study. *Dis Colon Rectum* 2021;.

Ramser M, Warschkow R, Viehl C T, Kettelhack C, Zettl A, Lobbes L A, Zuber M, Weixler B. The Simultaneous Presence of Isolated Tumour Cells and Bone Marrow Micrometastases in Stage I and II Colon Cancer-Challenging the Theory of a Chronological Pathway of Tumour Cell Dissemination. *World J Surg* 2021;.

Weixler B, Teixeira Da Cunha S, Warschkow R, Demartines N, Gueller U, Zettl A, Vahrmeijer A, Van De Velde C J H, Viehl C T, Zuber M. Molecular Lymph Node Staging with One-Step Nucleic Acid Amplification and its Prognostic Value for Patients with Colon Cancer: The First Follow-up Study. *World J Surg* 2021; 45:1526-1536.

Tarantino I, Widmann B, Warschkow R, Weitzendorfer M, Bock S, Roeske S, Abbassi F, Sortino R, Schmied B, Steffen T. Impact of precoding on reimbursement in diagnosis-related group systems: Randomized controlled trial. *Int J Surg* 2021; 96:106173.

Ammann Y, Widmann B, Sparn M, Warschkow R, Weitzendorfer M, Brunner W. Prophylactic Funnel Mesh to Prevent Parastomal Hernia in Permanent End Colostomy: A Retrospective Cohort Study. *Colorectal Dis* 2021; 23:2627-2636.

Klose J, Schmitt A, Pernthaler J, Warschkow R, Büchler M W, Schneider M, Lasitschka F, Tarantino I. Still proliferating CD44/Ki67 tumor cells after neoadjuvant radiochemotherapy identify rectal cancer patients with poor survival. *Eur J Surg Oncol* 2021; 47:2078-2086.

- Sparrn M, Widmann B, Pietsch U, Weitzendorfer M, Warschkow R, Steffen T. Risk factors and outcomes of postoperative aspiration pneumonia in abdominal surgery patients: An exact matching and weighting analysis. *Surgery* 2021; 170:1432-1441.
- Ramser M, Lobbes L A, Warschkow R, Viehl C T, Lauscher J C, Drosner R A, Kettelhack C, Zuber M, Weixler B. Evaluation of the prognostic relevance of the recommended minimum number of lymph nodes in colorectal cancer-a propensity score analysis. *Int J Colorectal Dis* 2021; 36:779-789.
- Gehrig T, Josef V, Billeter A T, Warschkow R, Knebel P, Gutt C N, Diener M K, Tarantino I. Dissection with LigaSure Impact™ versus conventional resection in pylorus-preserving partial pancreatoduodenectomy (DISSECT): a single-institution randomized controlled trial. *Langenbecks Arch Surg* 2020; 405:949-958.
- Klose J, Kloor M, Warschkow R, Antony P, Liesenfeld L F, Büchler M W, Schneider M, Tarantino I. Does Side Really Matter? Survival Analysis among Patients with Right- Versus Left-Sided Colon Cancer: A Propensity Score-Adjusted Analysis. *Ann Surg Oncol* 2020;.
- Widmann B, Warschkow R, Beutner U, Weitzendorfer M, Ukegjini K, Schmied B, Tarantino I, Steffen T. Effect of lymphadenectomy in curative gallbladder cancer treatment: a systematic review and meta-analysis. *Langenbecks Arch Surg* 2020;.
- Siebenhüner A R, Gueller U, Warschkow R. Population-based SEER analysis of survival in colorectal cancer patients with or without resection of lung and liver metastases. *BMC Cancer* 2020; 20:246.
- Rueff J, Weixler B, Viehl C T, Ochsner A, Warschkow R, Gueller U, Mingrone W, Zuber M. Improved quality of colon cancer surveillance after implementation of a personalized surveillance schedule. *J Surg Oncol* 2020;.
- Warschkow R, Tsai C, Köhn N, Erdem S, Schmied B, Nussbaum D P, Gloor B, Müller S A, Blazer D, Worni M. Role of lymphadenectomy, adjuvant chemotherapy, and treatment at high-volume centers in patients with resected pancreatic cancer-a distinct view on lymph node yield. *Langenbecks Arch Surg* 2020; 405:43-54.
- Ukegjini K, Kastiunig T, Widmann B, Warschkow R, Steffen T. Impact of intraoperative noise measurement on the surgeon stress and patient outcomes. A prospective, controlled, single-center clinical trial with 664 patients. *Surgery* 2020;.
- Erdem S, Warschkow R, Worni M. Reply to the Editor: "Is There a Role of Surgery in Treating Localized Esophageal Neuroendocrine Tumor?". *Ann Surg Oncol* 2019;.
- Erdem S, Troxler E, Warschkow R, Tsai C, Yerokun B, Schmied B, Stettler C, Blazer D G, Hartwig M, Worni M, Gloor B. Is There a Role for Surgery in Patients with Neuroendocrine Tumors of the Esophagus? A Contemporary View from the NCDB. *Ann Surg Oncol* 2019;.
- Ulug P, Powell J T, Warschkow R, Von Allmen R. Editor's Choice - Sex Specific Differences in the Management of Descending Thoracic Aortic Aneurysms: Systematic Review with Meta-Analysis. *Eur J Vasc Endovasc Surg* 2019; 58:503-511.
- Wurster E F, Pianka F, Warschkow R, Antony P, Brenner T, Weigand M A, Schmied B, Büchler M W, Tarantino I, Ulrich A. Peridural analgesia does not impact survival in patients after colon cancer resection: a retrospective propensity score-adjusted analysis. *Int J Colorectal Dis* 2019; 34:1283-1293.

- Tsai C, Mueller A, Maubach J, Warschkow R, Nussbaum D P, Schmied B, Blazer D, Gloor B, Worni M. No Difference in Survival between Neo-Adjuvant Chemotherapy and Neo-Adjuvant Chemoradiation Therapy in Gastric Cardia Cancer Patients: A Contemporary View from the National Cancer Database. *Dig Surg* 2019; 37:249-257.
- Antony P, Harnoss J C, Warschkow R, Schmied B, Schneider M, Tarantino I, Ulrich A. Urgent surgery in colon cancer has no impact on survival. *J Surg Oncol* 2019; 119:1170-1178.
- Ackermann C J, Gueller U, Jochum W, Schmied B, Warschkow R. The prognostic value of signet ring cell histology in stage I/II colon cancer-a population-based, propensity score-matched analysis. *Int J Colorectal Dis* 2018;.
- Guebeli N, Warschkow R, Ackermann C J, Schmied B, Cerny T, Ess S. Reply to technical comment on: Güller et al. Lower hospital volume is associated with higher mortality after oesophageal, gastric, pancreatic and rectal cancer resection. *Swiss Med Wkly* 2018; 148:w14583.
- Köhn N, Maubach J, Warschkow R, Tsai C, Nussbaum D P, Candinas D, Gloor B, Schmied B, Blazer D G, Worni M. High rate of positive lymph nodes in T1a gallbladder cancer does not translate to decreased survival: a population-based, propensity score adjusted analysis. *HPB (Oxford)* 2018; 20:1073-1081.
- Messerli M, Barbosa F, Marcon M, Muehlematter U J, Stolzmann P, Warschkow R, Delso G, Ter Voert E E, Huellner M W, Frauenfelder T, Veit-Heibach P. Value of PET/MRI for assessing tumor resectability in NSCLC - intra-individual comparison with PET/CT. *Br J Radiol* 2018;20180379.
- Hüttner F J, Warschkow R, Schmied B, Diener M K, Tarantino I, Ulrich A. Prognostic impact of anastomotic leakage after elective colon resection for cancer - A propensity score matched analysis of 628 patients. *Eur J Surg Oncol* 2018;.
- Warschkow R, Ebinger S M, Brunner W, Schmied B, Marti L. Survival after Abdominoperineal and Sphincter-Preserving Resection in Nonmetastatic Rectal Cancer: A Population-Based Time-Trend and Propensity Score-Matched SEER Analysis. *Gastroenterol Res Pract* 2017; 2017:6058907.
- Fleischmann I, Warschkow R, Beutner U, Marti L, Schmied B, Steffen T. Improved survival after retrieval of 12 or more regional lymph nodes in appendiceal cancer. *Eur J Surg Oncol* 2017; 43:1876-1885.
- Warschkow R, Widmann B, Beutner U, Marti L, Steffen T, Schiesser M, Schmied B. The More the Better-Lower Rate of Stage Migration and Better Survival in Patients With Retrieval of 20 or More Regional Lymph Nodes in Pancreatic Cancer: A Population-Based Propensity Score Matched and Trend SEER Analysis. *Pancreas* 2017; 46:648-657.
- Wilhelm A, Galata C, Beutner U, Schmied B, Warschkow R, Steffen T, Brunner W, Post S, Marti L. Duodenal localization is a negative predictor of survival after small bowel adenocarcinoma resection: A population-based, propensity score-matched analysis. *J Surg Oncol* 2017;.
- Ebinger S M, Hardt J, Warschkow R, Schmied B, Herold A, Post S, Marti L. Operative and medical treatment of chronic anal fissures-a review and network meta-analysis of randomized controlled trials. *J Gastroenterol* 2017; 52:663-676.
- Tarantino I, Warschkow R, Hackert T, Schmied B, Büchler M W, Strobel O, Ulrich A. Staging of pancreatic cancer based on the number of positive lymph nodes. *Br J Surg* 2017; 104:608-618.

- Elias H, Galata C, Warschkow R, Schmied B, Steffen T, Post S, Marti L. Survival after resection of appendiceal carcinoma by hemicolectomy and less radical than hemicolectomy: a population-based propensity score matched analysis. *Colorectal Dis* 2017; 19:895-906.
- Messerli M, Hechelhammer L, Leschka S, Warschkow R, Wildermuth S, Bauer R. Coronary risk assessment at X-ray dose equivalent ungated chest CT: Results of a multi-reader study. *Clin Imaging* 2017; 49:73-79.
- Tarantino I, Warschkow R, Gueller U. Palliative Primary Tumor Resection in Patients With Metastatic Colorectal Cancer: For Whom and When?. *Ann Surg* 2017; 265:e59-e60.
- Messerli M, Maywald C, Wälti S, Warschkow R, Wildermuth S, Alkadhi H, Leschka S, Schiesser M. Prognostic Value of Negative Coronary CT Angiography in Severely Obese Patients Prior to Bariatric Surgery: a Follow-Up After 6 Years. *Obes Surg* 2017; 27:2044-2049.
- Messerli M, Giannopoulos AA, Leschka S, Warschkow R, Wildermuth S, Hechelhammer L, Bauer R. Diagnostic accuracy of chest X-ray dose-equivalent CT for assessing calcified atherosclerotic burden of the thoracic aorta. *Br J Radiol* 2017; 90:20170469.
- Gueller U, Warschkow R, Ackermann C J, Schmied B, Cerny T, Ess S. Lower hospital volume is associated with higher mortality after oesophageal, gastric, pancreatic and rectal cancer resection. *Swiss Med Wkly* 2017; 147:w14473.
- Weixler B, Viehl C T, Warschkow R, Gueller U, Ramser M, Sauter R, Zuber M. Comparative Analysis of Tumor Cell Dissemination to the Sentinel Lymph Nodes and to the Bone Marrow in Patients With Nonmetastasized Colon Cancer: A Prospective Multicenter Study. *JAMA Surg* 2017;.
- Messerli M, Ottilinger T, Warschkow R, Leschka S, Alkadhi H, Wildermuth S, Bauer R. Emphysema quantification and lung volumetry in chest X-ray equivalent ultralow dose CT - Intra-individual comparison with standard dose CT. *Eur J Radiol* 2017; 91:1-9.
- Warschkow R, Gueller U, Cerny T, Schmied B, Plasswilm L, Putora P M. Secondary malignancies after rectal cancer resection with and without radiation therapy: A propensity-adjusted, population-based SEER analysis. *Radiother Oncol* 2017; 123:139-146.
- Warschkow R, Baechtold M, Leung K, Schmied B, Nussbaum D P, Gloor B, Blazer Iii D G, Worni M. Selective survival advantage associated with primary tumor resection for metastatic gastric cancer in a Western population. *Gastric Cancer* 2017;.
- Messerli M, Kluckert J T, Knitel M, Wälti S, Desbiolles L, Rengier F, Warschkow R, Bauer R, Alkadhi H, Leschka S, Wildermuth S. Ultralow dose CT for pulmonary nodule detection with chest x-ray equivalent dose - a prospective intra-individual comparative study. *Eur Radiol* 2017; 27:3290-3299.
- Tarantino I, Warschkow R, Schmied B, Gueller U, Mieth M, Cerny T, Büchler M W, Ulrich A. Predictive Value of CEA for Survival in Stage I Rectal Cancer: a Population-Based Propensity Score-Matched Analysis. *J Gastrointest Surg* 2016; 20:1213-22.
- Warschkow R, Cerny T, Schmied B, Gueller U, Thürlimann B, Joerger M. A population-based analysis of secondary malignancies in breast cancer patients receiving breast reconstruction. *Br J Cancer* 2016; 115:80-4.
- Neumair P, Joos L, Warschkow R, Dutly A, Ess S, Hitz F, Früh M, Brutsche M, Baty F, Krähenbühl S, Cerny T, Joerger M. Erlotinib has comparable clinical efficacy to chemotherapy in pretreated patients with advanced non-small cell lung cancer (NSCLC): A propensity-adjusted, outcomes research-based study. *Lung Cancer* 2016; 100:38-44.

- Widmann B, Warschkow R, Schmied B, Marti L, Steffen T. Impact of Mucinous Histology on the Prognosis of Stage I-III Adenocarcinomas of the Appendix: a Population-Based, Propensity Score-Matched Analysis. *J Gastrointest Surg* 2016; 20:1493-502.
- Ukegijini K, Zadnikar M, Warschkow R, Mueller S, Schmied B, Marti L. Baseline mortality-adjusted survival in colon cancer patients. *Langenbecks Arch Surg* 2016; 401:633-41.
- Warschkow R, Gueller U, Tarantino I, Cerny T, Schmied B, Thürlimann B, Joerger M. Improved Survival After Primary Tumor Surgery in Metastatic Breast Cancer: A Propensity-adjusted, Population-based SEER Trend Analysis. *Ann Surg* 2016; 263:1188-98.
- Hummel B, Hardt J, Bischofberger S, Hetzer F, Warschkow R, Zadnikar M, Brunner W, Widmann B, Schmied B, Marti L. New kid on the block: perineal stapled prolapse resection (PSP) is it worthwhile in the long-term?. *Langenbecks Arch Surg* 2016; 401:519-29.
- Warschkow R, Sulz M, Marti L, Tarantino I, Schmied B, Cerny T, Gueller U. Better survival in right-sided versus left-sided stage I - III colon cancer patients. *BMC Cancer* 2016; 16:554.
- Weixler B, Warschkow R, Ramser M, Droeser R, Von Holzen U, Oertli D, Kettelhack C. Urgent surgery after emergency presentation for colorectal cancer has no impact on overall and disease-free survival: a propensity score analysis. *BMC Cancer* 2016; 16:208.
- Warschkow R, Tarantino I, Hüttner F J, Schmied B, Gueller U, Diener M K, Ulrich A. Predictive value of mucinous histology in colon cancer: a population-based, propensity score matched analysis. *Br J Cancer* 2016; 114:1027-32.
- Brunner W, Widmann B, Marti L, Tarantino I, Schmied B, Warschkow R. Predictors for regional lymph node metastasis in T1 rectal cancer: a population-based SEER analysis. *Surg Endosc* 2016; 30:4405-15.
- Kruse C, Mueller S, Warschkow R, Luethi C, Brunner W, Marti L, Sulz M, Schmied B M, Tarantino I, Beutner U. Does caffeine reduce postoperative bowel paralysis after elective laparoscopic colectomy? (CaCo trial): study protocol for a randomized controlled trial. *Trials* 2016; 17:186.
- Weixler B, Warschkow R, Gueller U, Zettl A, Von Holzen U, Schmied B M, Zuber M. Isolated tumor cells in stage I & II colon cancer patients are associated with significantly worse disease-free and overall survival. *BMC Cancer* 2016; 16:106.
- Ebinger S M, Warschkow R, Tarantino I, Schmied B M, Gueller U, Schiesser M. Modest overall survival improvements from 1998 to 2009 in metastatic gastric cancer patients: a population-based SEER analysis. *Gastric Cancer* 2015;.
- Müller-Stich B P, Linke G R, Senft J, Achtstätter V, Müller P C, Diener M K, Warschkow R, Marra F, Schmied B M, Borovicka J, Fischer L, Zerz A, Gutt C N, Büchler M W. Laparoscopic Mesh-augmented HiatoPlasty With Cardiophrenicopexy Versus Laparoscopic Nissen Fundoplication for the Treatment of Gastroesophageal Reflux Disease: A Double-center Randomized Controlled Trial. *Ann Surg* 2015; 262:721-7.
- Gueller U, Tarantino I, Cerny T, Ulrich A, Schmied B, Warschkow R. Revisiting a dogma: similar survival of patients with small bowel and gastric GIST. A population-based propensity score SEER analysis. *Gastric Cancer* 2015;.
- Senft J D, Carstensen B, Mischnik A, Warschkow R, Müller-Stich B P, Linke G R. Endolumenal colon occlusion reduces peritoneal contamination during a transrectal NOTES procedure: a controlled porcine survival study. *Surg Endosc* 2015;.

- Trujillo M R, Muller D, Widmer J D, Warschkow R, Muller M K. Long-Term Follow-Up of Gastric Banding 10 Years and Beyond. *Obes Surg* 2015; 26:581-587.
- Righini-Grunder F, Hurni M, Warschkow R, Rischewski J. Frequency of Oral Mucositis and Local Virus Reactivation in Herpes Simplex Virus Seropositive Children with Myelosuppressive Therapy. *Klin Padiatr* 2015; 227:335-338.
- Müller-Stich B P, Achtstätter V, Diener M K, Gondan M, Warschkow R, Marra F, Zerz A, Gutt C N, Büchler M W, Linke G R. Repair of Paraesophageal Hiatal Hernias—Is a Fundoplication Needed? A Randomized Controlled Pilot Trial. *J Am Coll Surg* 2015; 221:602-10.
- Tarantino I, Hüttner F J, Warschkow R, Schmied B M, Diener M K, Ulrich A. Prognostic Relevance of Mucinous Subtype in a Population-based Propensity Score Analysis of 40,083 Rectal Cancer Patients. *Ann Surg Oncol* 2015; 23:1576-1586.
- Gueller U, Tarantino I, Cerny T, Schmied B M, Warschkow R. Population-based SEER trend analysis of overall and cancer-specific survival in 5138 patients with gastrointestinal stromal tumor. *BMC Cancer* 2015; 15:557.
- Ebinger S M, Warschkow R, Tarantino I, Schmied B M, Marti L. Anastomotic leakage after curative rectal cancer resection has no impact on long-term survival: a propensity score analysis. *Int J Colorectal Dis* 2015; 30:1667-1675.
- Steffen T, Ebinger S M, Warschkow R, Luethi C, Schmied B M, Clerici T. Long-Term Survival is not Impaired After the Complete Resection of Neuroendocrine Tumors of the Appendix. *World J Surg* 2015; 39:2670-6-2670.
- Wilhelm A, Mueller S, Steffen T, Schmied B M, Beutner U, Warschkow R. Patients with Adenocarcinoma of the Small Intestine with 9 or More Regional Lymph Nodes Retrieved Have a Higher Rate of Positive Lymph Nodes and Improved Survival. *J Gastrointest Surg* 2015;.
- Müller-Stich B P, Senft J D, Warschkow R, Kenngott H G, Billeter A T, Vit G, Helfert S, Diener M K, Fischer L, Büchler M W, Nawroth P P. Surgical versus medical treatment of type 2 diabetes mellitus in nonseverely obese patients: a systematic review and meta-analysis. *Ann Surg* 2015; 261:421-429.
- Weixler B, Warschkow R, Zettl A, Riehle H M, Gueller U, Viehl C T, Zuber M. Intranodal Mapping Using Carbon Dye Results in More Accurate Lymph Node Staging in Colon Cancer Patients. *World J Surg* 2015; 39:2583-9.
- Tarantino I, Warschkow R, Beutner U, Kolb W, Lüthi A, Luethi C, Schmied B M, Clerici T. Efficacy of a Single Preoperative Dexamethasone Dose to Prevent Nausea and Vomiting After Thyroidectomy (the tPONV Study): A Randomized, Double-blind, Placebo-controlled Clinical Trial. *Ann Surg* 2015; 262:934-940.
- Hüttner F J, Schneider L, Tarantino I, Warschkow R, Schmied B M, Hackert T, Diener M K, Büchler M W, Ulrich A. Palliative resection of the primary tumor in 442 metastasized neuroendocrine tumors of the pancreas: a population-based, propensity score-matched survival analysis. *Langenbecks Arch Surg* 2015; 400:715-723.
- Adamina M, Steffen T, Tarantino I, Beutner U, Schmied B M, Warschkow R. Meta-analysis of the predictive value of C-reactive protein for infectious complications in abdominal surgery. *Br J Surg* 2015; 102:590-8.
- Adamina M, Warschkow R, Näf F, Hummel B, Rduch T, Lange J, Steffen T. Monitoring c-reactive protein after laparoscopic colorectal surgery excludes infectious complications and allows for safe and early discharge. *Surg Endosc* 2014; 28:2939-48.

- Adamina M, Ross T, Guenin M O, Warschkow R, Rodger C, Cohen Z, Burnstein M. Anal fistula plug: a prospective evaluation of success, continence and quality of life in the treatment of complex fistulae. *Colorectal Dis* 2014; 16:547-54.
- Tarantino I, Warschkow R, Worni M, Cerny T, Ulrich A, Schmied B M, Gueller U. Prognostic Relevance of Palliative Primary Tumor Removal in 37,793 Metastatic Colorectal Cancer Patients: A Population-Based, Propensity Score-Adjusted Trend Analysis. *Ann Surg* 2014; 262:112-120.
- Senft J D, Warschkow R, Diener M K, Tarantino I, Steinemann D C, Lamm S, Simon T, Zerz A, Müller-Stich B P, Linke G R. The transvaginal hybrid NOTES versus conventionally assisted laparoscopic sigmoid resection for diverticular disease (TRANSVERSAL) trial: study protocol for a randomized controlled trial. *Trials* 2014; 15:454.
- Klein M, Tarantino I, Warschkow R, Berger C J, Zdravkovic V, Jost B, Badulescu M. Specific Shoulder Pathoanatomy in Semiprofessional Water Polo Players: A Magnetic Resonance Imaging Study. *Orthopaedic Journal of Sports Medicine* 2014; 2:2325967114531213.
- Tarantino I, Mueller S, Warschkow R, Kulu Y, Schmied B M, Büchler M W, Ulrich A. Baseline mortality-adjusted survival in resected rectal cancer patients. *J Gastrointest Surg* 2014; 18:1837-1844.
- Mueller S, Warschkow R, Beutner U, Luethi C, Ukegjini K, Schmied B, Tarantino I. Use of human fibrin glue (Tisseel) versus staples for mesh fixation in laparoscopic transabdominal preperitoneal hernioplasty (TISTA): a randomized controlled trial (NCT01641718). *BMC Surg* 2014; 14:18.
- Castleberry A W, Gueller U, Tarantino I, Berry M F, Brügger L, Warschkow R, Cerny T, Mantyh C R, Candinas D, Worni M. Discrete improvement in racial disparity in survival among patients with stage IV colorectal cancer: a 21-year population-based analysis. *J Gastrointest Surg* 2014; 18:1194-1204.
- Kulu Y, Tarantino I, Warschkow R, Kny S, Schneider M, Schmied B M, Büchler M W, Ulrich A. Anastomotic Leakage Is Associated with Impaired Overall and Disease-Free Survival after Curative Rectal Cancer Resection: A Propensity Score Analysis. *Ann Surg Oncol* 2014; 22:2059-2067.
- Tarantino I, Ukegjini K, Warschkow R, Schmied B M, Steffen T, Ulrich A, Mueller S. Blood transfusion does not adversely affect survival after elective colon cancer resection: a propensity score analysis. *Langenbecks Arch Surg* 2013; 398:841-9.
- Warschkow R, Gueller U, Koeberle D, Mueller S, Steffen T, Thurnheer M, Schmied B M, Tarantino I. Perioperative Blood Transfusions Do Not Impact Overall and Disease-Free Survival After Curative Rectal Cancer Resection: A Propensity Score Analysis. *Ann Surg* 2013; 259:131-138.
- Linke G R, Carstensen B, Kähler G, Zerz A, Shevchenko M, Warschkow R, Lasitschka F, Kenngott H G, Senft J, Müller-Stich B P. Endolumenal colon occlusion device for transanal and transrectal surgery--a porcine feasibility study. *Langenbecks Arch Surg* 2013; 398:595-601.
- Tarantino I, Achermann P, Gueller U, Ulrich A, Schmied B M, Horber D, Cerny T, Stanga Z, Warschkow R. Relative Survival is an Adequate Estimate of Cancer-Specific Survival: Baseline Mortality-Adjusted 10-Year Survival of 771 Rectal Cancer Patients. *Ann Surg Oncol* 2013; 20:3877-2884.
- Tarantino I, Beutner U, Kolb W, Mueller S, Luethi C, Lüthi A, Schmied B M, Clerici T, Warschkow R. Study protocol for a randomized, double-blind, placebo-controlled trial of a single preoperative steroid dose to prevent nausea and vomiting after thyroidectomy: the tPONV study. *BMC Anesthesiol* 2013; 13:19.

- Mueller S, Mehrabi A, Rahbari N N, Warschkow R, Elbers H, Leowardi C, Fonouni H, Tarantino I, Schemmer P, Schmied B M, Büchler M W. Allogeneic Blood Transfusion Does Not Affect Outcome After Curative Resection for Advanced Cholangiocarcinoma. *Ann Surg Oncol* 2013; 21:155-164.
- Warschkow R, Tarantino I, Ukegjini K, Beutner U, Gueller U, Schmied B M, Mueller S, Schultes B, Thurnheer M. Concomitant cholecystectomy during laparoscopic Roux-en-Y gastric bypass in obese patients is not justified: a meta-analysis. *Obes Surg* 2013; 23:397-407.
- Warschkow R, Tarantino I, Ukegjini K, Beutner U, Mueller S, Schmied B, Steffen T. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after gastroesophageal cancer surgery. *Langenbecks Arch Surg* 2012; 397:727-36.
- Warschkow R, Tarantino I, Lange J, Müller S A, Schmied B M, Zünd M, Steffen T. Does hyperthermic intraoperative chemotherapy lead to improved outcomes in patients with ovarian cancer? A single center cohort study in 111 consecutive patients. *Patient Saf Surg* 2012; 6:12.
- Warschkow R, Ukegjini K, Tarantino I, Steffen T, Mueller S, Schmied B M, Marti L. Diagnostic study and meta-analysis of C-reactive protein as a predictor of postoperative inflammatory complications after pancreatic surgery. *J Hepatobiliary Pancreat Sci* 2012; 19:492-500.
- Linke G R, Luz S, Janczak J, Zerz A, Schmied B M, Siercks I, Warschkow R, Beutner U, Tarantino I. Evaluation of sexual function in sexually active women 1 year after transvaginal NOTES: a prospective cohort study of 106 patients. *Langenbecks Arch Surg* 2012; 398:139-45.
- Warschkow R, Tarantino I, Folie P, Beutner U, Schmied B, Bisang P, Schultes B, Thurnheer M. C-reactive protein 2 days after laparoscopic gastric bypass surgery reliably indicates leaks and moderately predicts morbidity. *J Gastrointest Surg* 2012; 16:1128-35.
- Mueller S, Rahbari N N, Schneider F, Warschkow R, Simon T, Von Frankenberg M, Bork U, Weitz J, Schmied B M, Büchler M W. Randomized clinical trial on the effect of coffee on postoperative ileus following elective colectomy. *Br J Surg* 2012; 99:1530-8.
- Tarantino I, Warschkow R, Worni M, Merati-Kashani K, Koeberle D, Schmied B M, Mueller S, Steffen T, Cerny T, Gueller U. Elevated preoperative CEA is associated with worse survival in stage I-III rectal cancer patients. *Br J Cancer* 2012; 107:266-74.
- Warschkow R, Beutner U, Steffen T, Mueller S, Schmied B M, Gueller U, Tarantino I. Safe and early discharge after colorectal surgery due to C-reactive protein: a diagnostic meta-analysis of 1832 patients. *Ann Surg* 2012; 256:245-50.
- Linke G R, Tarantino I, Bruderer T, Celeiro J, Warschkow R, Tarr P E, Müller-Stich B P, Zerz A. Transvaginal access for NOTES: a cohort study of microbiological colonization and contamination. *Endoscopy* 2012; 44:684-9.
- Warschkow R, Tarantino I, Jensen K, Beutner U, Clerici T, Schmied B M, Steffen T. Bilateral superficial cervical plexus block in combination with general anesthesia has a low efficacy in thyroid surgery: a meta-analysis of randomized controlled trials. *Thyroid* 2011; 22:44-52.
- Warschkow R, Steffen T, Beutner U, Mueller S, Schmied B M, Tarantino I. Diagnostic accuracy of C-reactive protein and white blood cell counts in the early detection of inflammatory complications after open resection of colorectal cancer: a retrospective study of 1,187 patients. *Int J Colorectal Dis* 2011; 27:1377.

- Tarantino I, Warschkow R, Steffen T, Bisang P, Schultes B, Thurnheer M. Is Routine Cholecystectomy Justified in Severely Obese Patients Undergoing a Laparoscopic Roux-en-Y Gastric Bypass Procedure? A Comparative Cohort Study. *Obes Surg* 2011; 21:1870-8.
- Warschkow R, Steffen T, Thierbach J, Bruckner T, Lange J, Tarantino I. Risk Factors for Anastomotic Leakage after Rectal Cancer Resection and Reconstruction with Colorectostomy. A Retrospective Study with Bootstrap Analysis. *Ann Surg Oncol* 2011;.
- Tarantino I, Linke G R, Lange J, Siercks I, Warschkow R, Zerz A. Transvaginal rigid-hybrid natural orifice transluminal endoscopic surgery technique for anterior resection treatment of diverticulitis: a feasibility study. *Surg Endosc* 2011; 25:3034-3042.
- Warschkow R, Steffen T, Lüthi A, Filipovic M, Beutner U, Schmied B M, Müller S A, Tarantino I. Epidural analgesia in open resection of colorectal cancer: is there a clinical benefit? a retrospective study on 1,470 patients. *J Gastrointest Surg* 2011; 15:1386-93.
- Linke G R, Zerz A, Kapitza F, Warschkow R, Lange J, Meyenberger C, Binek J. Evaluation of endoscopy in localizing transgastric access for natural orifice transluminal endoscopic surgery in humans. *Gastrointest Endosc* 2010; 71:907-12.
- Warschkow R, Steffen T, Spillmann M, Kolb W, Lange J, Tarantino I. A comparative cross-sectional study of personality traits in internists and surgeons. *Surgery* 2010; 148:901-7.
- Linke G R, Tarantino I, Hoetzel R, Warschkow R, Lange J, Lachat R, Zerz A. Transvaginal rigid-hybrid NOTES cholecystectomy: evaluation in routine clinical practice. *Endoscopy* 2010; 42:571-5.
- Näf F, Warschkow R, Kolb W, Zund M, Lange J, Steffen T. Selective decontamination of the gastrointestinal tract in patients undergoing esophageal resection. *BMC Surg* 2010; 10:36.
- Tarantino I, Warschkow R, Linke G R, Zerz A. Minimally Invasive Approaches to Staging of Locally Excised Distal, Early Rectal Cancers. *Seminars in Colon and Rectal Surgery* 2010; 21:110-114.
- Steffen T, Warschkow R, Brändle M, Tarantino I, Clerici T. Randomized controlled trial of bilateral superficial cervical plexus block versus placebo in thyroid surgery. *Br J Surg* 2010; 97:1000-6.
- Fischer A, Tarantino I, Warschkow R, Lange J, Zerz A, Hetzer F. Is sphincter preservation reasonable in all patients with rectal cancer?. *Int J Colorectal Dis* 2010; 25:425-32.
- Marra F, Steffen T, Kalak N, Warschkow R, Tarantino I, Lange J, Zünd M. Anastomotic leakage as a risk factor for the long-term outcome after curative resection of colon cancer. *Eur J Surg Oncol* 2009; 35:1060-1064.
- Marra F, Steffen T, Kalak N, Warschkow R, Tarantino I, Lange J, Zünd M. Anastomotic leakage as a risk factor for the long-term outcome after curative resection of colon cancer. *Eur J Surg Oncol* 2009; 35:1060-4.
- Müller-Stich B P, Köninger J, Müller-Stich B H, Schäfer F, Warschkow R, Mehrabi A, Gutt C N. Laparoscopic mesh-augmented hiatoplasty as a method to treat gastroesophageal reflux without fundoplication: single-center experience with 306 consecutive patients. *American journal of surgery* 2009; 198:17-24.

Linke G, Zerz A, Tutuian R, Marra F, Warschkow R, Müller-Stich B, Borovicka J. Efficacy of laparoscopic mesh-augmented hiatoplasty in GERD and symptomatic hiatal hernia. Study using combined impedance-pH monitoring. *J Gastrointest Surg* 2008; 12:816-821.

Steffen T, Tarantino I, Hetzer F, Warschkow R, Lange J, Zünd M. Safety and morbidity after ultra-low coloanal anastomoses: J-pouch vs end-to-end reconstruction. *International journal of colorectal disease* 2008; 23:277-81.

Linke G R, Zerz A, Tutuian R, Marra F, Warschkow R, Müller-Stich B P, Borovicka J. Efficacy of laparoscopic mesh-augmented hiatoplasty in GERD and symptomatic hiatal hernia. Study using combined impedance-pH monitoring. *Journal of gastrointestinal surgery : official journal of the Society for Surgery of the Alimentary Tract* 2008; 12:816-21.

Tarantino I, Hetzer F, Warschkow R, Zünd M, Stein H J, Zerz A. Local excision and endoscopic posterior mesorectal resection versus low anterior resection in T1 rectal cancer. *The British journal of surgery* 2008; 95:375-80.

Müller-Stich B, Linke G, Borovicka J, Marra F, Warschkow R, Lange J, Mehrabi A, Köninger J, Gutt C, Zerz A. Laparoscopic mesh-augmented hiatoplasty as a treatment of gastroesophageal reflux disease and hiatal hernias-preliminary clinical and functional results of a prospective case series. *Am J Surg* 2008; 195:749-756.

Linke G R, Borovicka J, Schneider P, Zerz A, Warschkow R, Lange J, Müller-Stich B P. Is a barium swallow complementary to endoscopy essential in the preoperative assessment of laparoscopic antireflux and hiatal hernia surgery?. *Surgical endoscopy* 2008; 22:96-100.

Müller-Stich B P, Linke G R, Borovicka J, Marra F, Warschkow R, Lange J, Mehrabi A, Köninger J, Gutt C N, Zerz A. Laparoscopic mesh-augmented hiatoplasty as a treatment of gastroesophageal reflux disease and hiatal hernias-preliminary clinical and functional results of a prospective case series. *American journal of surgery* 2008; 195:749-56.

Clerici T, Warschkow R, Triponez F, Brändle M. National survey on the management of primary hyperparathyroidism by Swiss endocrinologists. *Langenbeck's archives of surgery / Deutsche Gesellschaft für Chirurgie* 2007; 392:611-5.

Müller-Stich B P, Brändle M, Binet I, Warschkow R, Lange J, Clerici T. To autotransplant simultaneously or not -- can intraoperative parathyroid hormone monitoring reliably predict early postoperative parathyroid hormone levels after total parathyroidectomy for hyperplasia?. *Surgery* 2007; 142:47-56.

conference paper/poster

Neumair P, Joos L, Warschkow R, Ess S, Hitz F, Früh M, Brutsche M, Baty F, Krähenbühl S, & Joerger M (2016). Chemotherapy is not superior to erlotinib in pretreated patients with advanced non-small cell lung cancer (NSCLC): A retrospective study: Abstrakt 169P. In *J Thorac Oncol.* 11(4 Suppl) (pp. 131): Elsevier.

Collen T, Ebert T, Warschkow R, & Plasswilm L (2010). IORT-Flap-Technique-Experience in St. Gallen. In (pp. 97): SASRO.