



Niklas Ehl

Assistenzarzt/Assistenzärztin
Kardiologie · Dept. I

Kontakt

Niklas Ehl
Rorschacherstrasse 95
9007 St. Gallen
Switzerland

T +41 71 494 1124
T 076-478 2312

Niklas.Ehl@kssg.ch

Bereiche

Kardiologie

Funktion

Assistenzarzt/Assistenzärztin

Publikationen (24)

Dorin P, Kägi G, Ehl N, Vehoff J (2022). Detection rates of atrial fibrillation by prolonged rhythm monitoring with or without preselection by biomarkers in patients with embolic strokes of undetermined source – a single center experience.

Weber L, Ehl N, Buser M, Rigger J, Chronis J, Weilenmann D, Jörg L, Haager P, Rickli H, Maeder M. Hemodynamics Prior to Valve Replacement for Severe Aortic Stenosis and Pulmonary Hypertension during Long-Term Follow-Up. J Clin Med 2021; 10

Tschumper M, Ammann P, Jäger-Rhomberg F, Ehl N, Buser M, Brenner R, Seidl S, Rickli H, Weber L, Maeder M. Corrected QT Interval in Severe Aortic Stenosis: Clinical and Hemodynamic Correlates and Prognostic Impact. Am J Med 2020

Weber L, Maisano F, Haager P, Buser M, Ehl N, Brenner R, Taramasso M, Ammann P, Rickli H, Maeder M. Hemodynamic profile of patients with severe aortic valve stenosis and atrial fibrillation versus sinus rhythm. Int J Cardiol 2020

Maeder M, Maisano F, Ehl N, Buser M, Taramasso M, Jörg L, Haager P, Weilenmann D, Weber L, Rickli H. Invasive Hemodynamic Staging Classification of Cardiac Damage in Patients With Aortic Stenosis Undergoing Valve Replacement. Can J Cardiol 2020

Maeder M, Maisano F, Haager P, Brenner R, Gerhard M, Ehl N, Buser M, Ammann P, Weber L, Rickli H. Relationship between B-type natriuretic peptide and invasive haemodynamics in patients with severe aortic valve stenosis. ESC Heart Fail 2020

Neurauter E, Leschka S, Wildermuth S, Ehl N, Jörg L, Rickli H, Maeder M. Use of coronary computed tomography angiography in clinical practice – single centre experience in Switzerland in light of current recommendations based on pretest probability considerations. Swiss Med Wkly 2019; 149:w20010.

Arslani K, Tobler D, Jost C, Ehl N, Rutz T, Bouchardy J, Schwerzmann M, Greutmann M, Zurek M, Roffler N, SACHER Investigators. Patterns of Incidence Rates of Cardiac Complications in Patients With Congenital Heart Disease. Can J Cardiol 2018; 34:1624–1630.

Maeder M, Ehl N. When the Right Is Not Doing Right: The Role of Strain Imaging in Pulmonary Arterial Hypertension. Can J Cardiol 2018; 34:962–964.

Arendt C, Vogl T, Wildermuth S, Gohmann R, Ehl N, Jörg L, Messerli M, Wichmann J, Tischendorf P, Bauer R. Using coronary CT angiography for guiding invasive coronary angiography: potential role to reduce intraprocedural radiation exposure. Eur Radiol 2018; 28:2756–2762.

Messerli M, Rengier F, Desbiolles L, Ehl N, Bauer R, Leschka S, Alkadhi H, Wildermuth S, Nähle C. Impact of Advanced Modeled Iterative Reconstruction on Coronary Artery Calcium Quantification. Acad Radiol 2016; 23:1506–1512.

Rigger J, Ehl N, Nägele R, Rickli H, Maeder M. Kounis syndrome revisited: Systemic mastocytosis and severe coronary artery disease. Int J Cardiol 2016; 214:510–1.

Ehl N, Maeder M, Jörg L. Isolated cardiac sarcoidosis: critical role of cardiac MRI for diagnosis and management. Eur Heart J 2015

Rigger J, Ehl N, Nägele R, Rickli H, Maeder M. Giant biventricular thrombi in a patient with heart failure and heparin-induced thrombocytopenia. <i>Int J Cardiol</i> 2015; 182C:377-378.
Ehl N, Zurek M, Rickli H, Maeder M. "Double takotsubo": first description of the sequence of classical followed by inverted type in a young woman. <i>Int J Cardiol</i> 2014; 174:e36-7.
Altmann D, Osswald S, Rickli H, Kühne M, Ammann P, Jörg L, Schär B, Koller M, Ehl N, Mutschelknauss M, Sticherling C. Prevalence of severely impaired left ventricular ejection fraction after reperfused ST-elevation myocardial infarction. <i>Swiss Med Wkly</i> 2013; 143:w13869.
Ehl N, Rohner F, Maeder M, Rickli H. Left ventricular apical thrombus many months after pericardial biopsy. <i>Cardiovascular Medicine</i> 2013; 16:132-133.
Arenja N, Osswald S, Hochgruber T, Sou S, Reichlin T, Roost K, Brinkert M, Ehl N, Mueller C, Zellweger M. Prevalence, extent, and independent predictors of silent myocardial infarction. <i>Am J Med</i> 2013; 126:515-22.
Ehl N. Annulus paradoxus. <i>Cardiovascular Medicine</i> 2012; 15:116-118.
Ehl N, Rickli H, Jörg L, Falk V, Weilenmann D, Epp C, Thies S, Geyer R, Sündermann S, Maeder M. Constrictive pericarditis presenting as a large mediastinal mass causing functional tricuspid and pulmonary stenosis. <i>Circulation</i> 2011; 124:e487-91.
Ehl N, Kühne M, Brinkert M, Müller-Brand J, Zellweger M. Diabetes reduces left-ventricular ejection fraction - irrespective of CAD presence and extent. <i>Eur J Endocrinol</i> 2011
Fischer J, Friedli B, Ehl N, Zellweger M. How to evaluate physical fitness without a stress test?. <i>Int J Cardiovasc Imaging</i> 2010
Ehl N, Koller R, Maeder M, Rickli H. Recurrent pericarditis caused by transdiaphragmatic migration of surgical tacks. <i>Eur Heart J</i> 2010; 31:2807.
Ehl N. "Poor man's CRT" - The interesting ECG. <i>Kardiovaskuläre Medizin</i> 2010; Nr. 01/2010:29-30.

Projekte (2)

Swiss Cardiac Amyloidosis Registry

Register - 01.07.2023 - 01.07.2033

Laufend

TRA 2°P-TIMI 50: Multizentrische, randomisierte, doppelblinde, placebokontrollierte Studie zur Beurteilung der Sicherheit und der Wirksamkeit von SCH 530348 bei Anwendung zusätzlich zur Standardtherapie bei Patienten mit anamnestisch bekannter Atherosklerose: Thrombin-Rezeptor-Antagonist zur Sekundärprophylaxe von atherothrombotischen ischämischen Ereignissen

Klinische Forschung - 18.07.2008 - 30.11.2010

Abgeschlossen

Kantonsspital St.Gallen

Rorschacher Strasse 95

CH-9007 St.Gallen

T: +41 71 494 11 11

support.forschung@kssg.ch