



Dr. med. Florian Brugger

Oberarzt/Oberärztin
Neurologie · Dept. III

Kontakt

Dr. med. Florian Brugger
Rorschacherstrasse 95
9007 St. Gallen
Switzerland

T 071/494 1652
florian.brugger@kssg.ch

Bereiche

Neurologie

Frühere Positionen

05/2006-04/2008

Medizinische Dissertation, Institut für Hygiene, Mikrobiologie und Sozialmedizin, Medizinischen Universität Innsbruck, Österreich

04/2008-09/2009

Wissenschaftlicher Mitarbeiter, Parkinson-Studienzentrum, Klinik für Neurologie der Medizinischen Universität Innsbruck

10/2009 - 05/2014

01/2016 - 12/2016

Assistenzarzt Neurologie, Kantonsspital St. Gallen

06/2014 - 12/2015

Research Fellow und Honorary Clinical Assistant, Institute of Neurology, UCL, London, UK

01/2017 - 12/2017

Assistenzarzt, Innere Medizin, Spital Grabs

seit 01/2018

Facharzt bzw. Oberarzt Neurologie, Kantonsspital St. Gallen

Funktion

Oberarzt/Oberärztin

Forschungsgebiet

Bewegungsstörungen

Mitgliedschaften

SAYN, SGKN, SMDS, ÖGN

Publikationen (48)

Mylius V, Baars J, Witt K, Benninger D, Ciampi de Andrade D, Kägi G, Bally J, Brugger F. Deep Brain Stimulation Improves Parkinson's Disease-Associated Pain by Decreasing Spinal Nociception. *Mov Disord* 2023

Cavalloni F, Brugger F, Kägi G, Naseri Y, Brogle D, Bozinov O, Bauer R, Hägele-Link S, Krüger M. Evaluation of the Rotational Stability of Directional Deep Brain Stimulation Leads: A Case Series and Systematic Review. *J Neurol Surg A Cent Eur Neurosurg* 2023

Ardila Jurado E, Kägi G, Brugger F. Tongue Myorhythmia and Palatal Tremor as the Main Clinical Manifestation in Anti-IgLON5 Disease. *Mov Disord Clin Pract* 2023; 10:S61-S62.

Listik C, Listik E, de Paiva Santos Rolim F, Meneses Cury Portela D, Perez-Lloret S, de Alves Araújo N, Carvalho P, Santos G, Limongi J, Cardoso F, Mylius V, Brugger F, Fernandes A, Reis Barbosa E, Jacobsen Teixeira M, Ferraz H, Camargos S, Pain in Dystonia Study Group, Cury R, Ciampi de Andrade D. Development and Validation of the Dystonia-Pain Classification System: A Multicenter Study. *Mov Disord* 2023; 38:1163-1174.

Dorin P, Brogle D, Hägele-Link S, Krüger M, Kägi G, Brugger F (2022). Frequency dependent interindividual variability of the deep brain stimulation effect on upper-limb bradykinesia .

Ardila Jurado E, Niederhauser J, Bonvin C, Mono M, Rodic B, Tarnutzer A, Schwegler G, Salmen S, Luft A, Peters N, Vehoff J, Kägi G, Renaud S, Schelosky L, Berger C, Sturm V, Brugger F, Nedeltchev K, Arnold M, Bonati L, Carrera E, Michel P, Cereda C, Bolognese M, Albert S, Medlin F, Swiss Stroke Registry Investigators. Central Retinal Artery Occlusion: Current Practice, Awareness and Prehospital Delays in Switzerland. *Front Neurol* 2022; 13:888456.

Mylius V, Maes L, Negele K, Schmid C, Sylvester R, Brook C, Brugger F, Perez-Lloret S, Bansi J, Aminian K, Paraschiv-Ionescu A, Gonzenbach R, Brugger P. Dual-Task Treadmill Training for the Prevention of Falls in Parkinson's Disease: Rationale and Study Design. *Front Rehabil Sci* 2022; 2:774658.

Mylius V, Perez Lloret S, Brook C, Krüger M, Hägele-Link S, Gonzenbach R, Kassubek J, Bohlhalter S, Lefaucheur J, Timmermann L, Kägi G, Brugger F, Ciampi de Andrade D, Möller J. [The new Parkinson's disease pain classification system (PD-PCS)]. *Nervenarzt* 2022; 93:1019-1027.

Chacón Gámez Y, Brugger F, Biller-Andorno N. Parkinson's Disease and Deep Brain Stimulation Have an Impact on My Life: A Multimodal Study on the Experiences of Patients and Family Caregivers. *Int J Environ Res Public Health* 2021; 18

Brugger F, Wegener R, Baty F, Walch J, Krüger M, Hägele-Link S, Bohlhalter S, Kägi G. Facilitatory rTMS over the Supplementary Motor Cortex Impedes Gait Performance in Parkinson Patients with Freezing of Gait. *Brain Sci* 2021; 11

Brugger F, Walch J, Hägele-Link S, Abela E, Galovic M, Kägi G. Decreased grey matter in the postural control network is associated with lateral flexion of the trunk in Parkinson's disease. *Neuroimage Clin* 2020; 28:102469.

Krüger M, Kurtev-Rittstieg R, Kägi G, Naseri Y, Hägele-Link S, Brugger F. Evaluation of Automatic Segmentation of Thalamic Nuclei through Clinical Effects Using Directional Deep Brain Stimulation Leads: A Technical Note. *Brain Sci* 2020; 10

Dorin P, Walch J, Krüger M, Kägi G, Mittas S, Bohlhalter S, Hägele-Link S, Brugger F (2020). Deep brain stimulation in two patients with immunosuppressive therapy.
Krüger M, Hägele-Link S, Bozinov O, Brogle D, Weber J, Kägi G, Reinacher P, Cavalloni F, Naseri Y, Brugger F. Do directional deep brain stimulation leads rotate after implantation?. <i>Acta Neurochir (Wien)</i> 2020; 163:197–203.
Gövert F, Deuschl G, Elble R, Rothwell J, Hannah R, Walter T, Garrido A, Brugger F, Rocchi L, Balint B, Becktepe J, Bhatia K. Temporal discrimination is altered in patients with isolated asymmetric and jerky upper limb tremor. <i>Mov Disord</i> 2019
Velicky M, Brugger F, Kägi G, Weber J, Vehoff J (2019). The impact of implementing a "fast-track" algorithm on time to treatment and outcome in patients with acute ischemic stroke due to large vessel occlusion.
Galovic M, Stauber A, Leisi N, Brugger F, Vehoff J, Balcerak P, Müller-Baumberger M, Rosenfeld J, Polymeris A, Thilemann S, De Marchis G, Niemann T, Leifke M, Lyrer P, Saladin P, Kahles T, Nedelchev K, Sarikaya H, Jung S, Fischer U, Manno C, Cereda C, Sander J, Tettborn B, Weder B, Stöckli S, Arnold M, Kägi G. Development and Validation of a Prognostic Model of Swallowing Recovery and Enteral Tube Feeding After Ischemic Stroke. <i>JAMA Neurol</i> 2019; 76:561–570.
Velicky M, Brugger F, Kägi G, Weber J, Vehoff J (2019). The impact of implementing a "fast-track" algorithm on time to treatment and outcome in patients with acute ischemic stroke due to large vessel occlusion.
Brugger F, Weber J, Kägi G, Vehoff J (2019). Retrospective comparison of the outcome of patients, treated with intravenous thrombolysis with unknown versus known symptom onset, guided by CT-imaging.
Brugger F, Peters A, Georgiev D, Kägi G, Balint B, Bhatia K, Day B. Sensory trick efficacy in cervical dystonia is linked to processing of neck proprioception. <i>Parkinsonism Relat Disord</i> 2018
Mahlknecht P, Foltynie T, Rothwell J, Willeit P, Hariz G, Bhatia K, Hariz M, Zrinzo L, Vinke S, Brugger F, Akram H, Georgiev D, Limousin P. Parkinsonian signs in patients with cervical dystonia treated with pallidal deep brain stimulation. <i>Brain</i> 2018; 141:3023–3034.
Kägi G, Ruge D, Brugger F, Katschnig P, Sauter R, Fiorio M, Tinazzi M, Rothwell J, Bhatia K. Endophenotyping in idiopathic adult onset cervical dystonia. <i>Clin Neurophysiol</i> 2017; 128:1142–1147.
Galovic M, Kägi G, Brugger F, Weber J, Mueller M, Vos S, Zbinden M, Pastore-Wapp M, Leisi N, Weder B. Diverging lesion and connectivity patterns influence early and late swallowing recovery after hemispheric stroke. <i>Hum Brain Mapp</i> 2017
Brugger F, Walch J. Dysphagie beim Mb. Parkinson. <i>Leading Opinions Neurologie und Psychiatrie</i> 2016
Antelmi E, Rothwell J, Berardelli A, Teo J, Brugger F, Ganos C, Liguori R, Erro R, Rocchi L, Di Stasio F, Bhatia K. Impaired eye blink classical conditioning distinguishes dystonic patients with and without tremor. <i>Parkinsonism Relat Disord</i> 2016
Brugger F, Bhatia K, Besag F. Valproate-Associated Parkinsonism: A Critical Review of the Literature. <i>CNS Drugs</i> 2016

Galovic M, Leisi N, Müller M, Weber J, Tettenborn B, Brugger F, Abela E, Weder B, Kägi G. Neuroanatomical correlates of tube dependency and impaired oral intake after hemispheric stroke. <i>Eur J Neurol</i> 2016; 23:926–34.
Balint B, Erro R, Brugger F, Jha A, Batla A, Ganos C, Antelmi E, Bhatia K. Conjugal Parkinson's disease – Real or chance?. <i>Parkinsonism Relat Disord</i> 2016
Brugger F, Jesus S, Ganos C, Bhatia K. Episodic akinesia of jaw movements akin to freezing in multiple system atrophy. <i>Parkinsonism Relat Disord</i> 2015; 21:1483–4.
Brugger F, Galovic M, Weder B, Kägi G. Supplementary Motor Complex and Disturbed Motor Control – a Retrospective Clinical and Lesion Analysis of Patients after Anterior Cerebral Artery Stroke. <i>Front Neurol</i> 2015; 6:209.
Brugger F, Erro R, Balint B, Kägi G, Barone P, Bhatia K. Why is there motor deterioration in Parkinson's disease during systemic infections—a hypothetical view. <i>NPJ Parkinsons Dis</i> 2015; 1:15014.
Brugger F, Abela E, Hägele-Link S, Bohlhalter S, Galovic M, Kägi G. Do executive dysfunction and freezing of gait in Parkinson's disease share the same neuroanatomical correlates?. <i>J Neurol Sci.</i> 2015
Mahlknecht P, Seppi K, Poewe W, Scherfler C, Brugger F, Goebel G, Gschliesser V, Mitterling T, Serradell M, Tolosa E, Santamaria J, Müller C, Frauscher B, Högl B, Iranzo A, Sleep Innsbruck Barcelona Group. Olfactory dysfunction predicts early transition to a Lewy body disease in idiopathic RBD. <i>Neurology</i> 2015; 84:654–8.
Brugger F, Schüpbach M, Koenig M, Muri R, Bohlhalter S, Kaelin-Lang A, Kamm C, Kägi G. The Clinical Spectrum of Ataxia with Oculomotor Apraxia Type 2. <i>Mov Disord Clin Pract</i> 2014; 1:106–109.
Brugger F, Schüpbach M, Bohlhalter S, Kaelin A, Kamm C, Kägi G. The clinical spectrum of ataxia with oculomotor apraxia type 2. <i>Movement Disorders Clinical Practice</i> 2014; 1:106–109.
Brugger F, Walch J, Abela E, Hägele-Link S, Tettenborn B, Kägi G (2013). Disturbances of the subjective visual vertical are associated with trunk lateroflexion in Parkinson's disease – a neuroimaging approach.
Bauer R, Werner B, Hägele-Link S, Kägi G, Nitschke S, Brugger F, von Specht M, Martin E (2013). MR-Guided High Intensity Focused Ultrasound for the treatment of tremor-dominant Parkinson's disease – first experience.
Brugger F, Siebel P, Kägi G, Tettenborn B, Felbecker A (2011). Dementia in cerebellar ataxia associated with anti-GAD-antibodies.
Felbecker A, Brugger F, Tettenborn B, Sommacal A, Neumann M (2011). Frontotemporal Lobar Degeneration (FTLD) and Amyotrophic Lateral Sclerosis (ALS): Two diseases linked by TDP-43 Pathology.
Brugger F, Kägi G, You H, Kaelin-Lang A, Koenig M, Delaunoy J, Schüpbach M (2011). The clinical spectrum of ataxia with oculomotor apraxia type 2.
Brugger F, Kägi G. Infusionstherapien beim fortgeschrittenen Morbus Parkinson. <i>Leading Opinions</i> 2011; 1:27–29.

Seppi K, Brugger F. Chorea. In: Parkinson-Syndrome und andere Bewegungsstörungen. D-Stuttgart: Georg Thieme Verlag, 2010. S. 267–311.

Brugger F, Felbecker A, Kägi G, Hägele-Link S, Tettenborn B (2010). Gait disorder in a patient with Wilson's disease 18 years after onset of disease. Präsentiert bei: Twentieth Meeting of the European Neurological Society, Berlin

Brugger F. HIV und Neurogenese – Die Interaktion von HIV mit den Waffen des angeborenen Immunsystems während der Differenzierung neuraler Stammzellen. 2009. ISBN 3838105885.

Brugger F, Poewe W (2009). Parkinsonism due to cerebral toxoplasmosis in a HIV-patient. Präsentiert bei: 13th Congress of European Federation of Neurological Societies, Florenz

Brugger F, Tolosa E, Högl B, Santamaria J, Frauscher B, Gschliesser V, Serradell M, Seppi K, Iranzo A, Stockner H, Poewe W (2009). Midbrain hyperechogenicity and impaired olfactory function in patients with idiopathic REM sleep behavior disorder.

Brugger F, Poewe W. Fibrotische Herzklappenveränderungen unter der Therapie mit Dopamin-Agonisten. P-Aktuell Newsletter 2008; 03/2008:2–5.

Brugger F, Hagleitner M, Dierich M, Speth C (2006). HIV and innate immunity in neuropathogenesis and neural differentiation. Präsentiert bei: 17. Österreichischer AIDS Kongress, Innsbruck

Projekte (5)

Developing an EEG-based approach to DBS-frequency modulation in Parkinson's disease

Klinische Forschung - 01.11.2019 - 31.12.2021

Automatisch geschlossen

The role of the sensory trick in gating multimodal afferents in adult-onset idiopathic cervical dystonia

Grundlagenforschung - 15.08.2018 - 31.07.2020

Automatisch geschlossen

Structural brain changes and dysphagia in Parkinson's disease

Klinische Forschung - 01.01.2014 - 31.12.2015

Automatisch geschlossen

Pilotstudie: Die Bedeutung der supplementär-motorischen Area bei der Pathophysiologie des Freezing of Gait beim Morbus Parkinson

Klinische Forschung - 01.12.2011 - 30.06.2013

Abgeschlossen

multicenter, double-blind, placebo-controlled, parallel-group, phase IV study to assess the effect of Rotigotine on non-motor symptoms in patients with idiopathic parkinson's disease

Klinische Forschung - 01.09.2011 - 31.12.2012

Automatisch geschlossen