



Dr.med Lukas Hechelhammer

Oberarzt/Oberärztin

Radiologie und Nuklearmedizin · Dept. IV

Kontakt

Dr.med Lukas Hechelhammer
Rorschacherstrasse 95
9007 St. Gallen
Switzerland

T +41 71 494 6627
Lukas.Hechelhammer@kssg.ch

Bereiche

Radiologie und Nuklearmedizin

Funktion

Oberarzt/Oberärztin

Publikationen (86)

Leu S, Ardila Jurado E, Mordasini P, Hechelhammer L. Treatment of an Acute Common Carotid Artery Occlusion Using a Large-Bore Aspiration Thrombectomy Device. J Vasc Interv Radiol 2023; 34:1638-1639.

Schmid H, Hechelhammer L, Muellhaupt G. Re: Early Results of Unilateral Prostatic Artery Embolization as a Focal Therapy in Patients with Prostate Cancer Under Active Surveillance: Cancer Prostate Embolisation, a Pilot Study. Eur Urol 2021

Abt D, Muellhaupt G, Hechelhammer L, Markart S, Güsewell S, Schmid H, Mordasini L, Engeler D. Prostatic Artery Embolisation Versus Transurethral Resection of the Prostate for Benign Prostatic Hyperplasia: 2-yr Outcomes of a Randomised, Open-label, Single-centre Trial. Eur Urol 2021; 80:34-42.

Zumstein V, Binder J, Güsewell S, Betschart P, Pratsinis M, Muellhaupt G, Hechelhammer L, Schmid H, Abt D. Radiation exposure during prostatic artery embolisation: a systematic review and calculation of associated risks. Eur Urol Focus 2021; 7:608-11.

Abt D, Zumstein V, Hechelhammer L. Commentary on the Article "Systematic Review and Meta-Analysis Comparing Prostatic Artery Embolisation to Gold-Standard Transurethral Resection of the Prostate for Benign Prostatic Hyperplasia". Cardiovasc Intervent Radiol 2020; 44:194-195.

Zumstein V, Binder J, Güsewell S, Betschart P, Pratsinis M, Muellhaupt G, Hechelhammer L, Schmid H, Abt D. Radiation Exposure During Prostatic Artery Embolisation: A Systematic Review and Calculation of Associated Risks. Eur Urol Focus 2020

Zumstein V, Binder J, Güsewell S, Betschart P, Pratsinis M, Muellhaupt G, Hechelhammer L, Schmid H, Abt D. Systematische Review zur Strahlenbelastung bei der Prostatic Artery Embolization (PAE) und Kalkulation der hiermit assoziierten Risiken. Urologe 2020:42.

Muellhaupt G, Hechelhammer L, Diener P, Engeler D, Güsewell S, Schmid H, Mordasini L, Abt D. Ejaculatory disorders after prostatic artery embolization: a reassessment of two prospective clinical trials. World J Urol 2019; 38:2595-2599.

Müllhaupt G, Mordasini L, Schmid H, Kessler T, Zumstein V, Betschart P, Güsewell S, Engeler D, Hechelhammer L, Abt D. In-hospital cost analysis of prostatic artery embolization compared with transurethral resection of the prostate: post hoc analysis of a randomized controlled trial. BJU Int 2019; 123:1055-1060.

Hechelhammer L, Muellhaupt G, Mordasini L, Markart S, Güsewell S, Betschart P, Schmid H, Engeler D, Abt D. Predictability and Inducibility of Detachment of Prostatic Central Gland Tissue after Prostatic Artery Embolization: Post Hoc Analysis of a Randomized Controlled Trial. J Vasc Interv Radiol 2019; 30:217-224.

Hechelhammer L, Muellhaupt G, Mordasini L, Markart S, Güsewell S, Betschart P, Schmid H, Engeler D, Abt D. Predictability and inducibility of detachment of prostatic central gland tissue after prostatic artery embolization: post hoc analysis of a randomized controlled trial. J Vasc Interv Radiol 2019:217-24.

Muellhaupt G, Mordasini L, Schmid H, Kessler T, Zumstein V, Betschart P, Güsewell S, Engeler D, Hechelhammer L, Abt D. In-hospital cost analysis of prostatic artery embolization compared with transurethral resection of the prostate: post hoc analysis of a randomized controlled trial. BJU Int 2019:1055-60.

Abt D, Engeler D, Schmid H, Kessler T, Zumstein V, Markart S, Güsewell S, Mordasini L, Muellhaupt G, Hechelhammer L. Outcome prediction of prostatic artery embolization: post hoc analysis of a randomized, open-label, non-inferiority trial. BJU Int 2019; 124:134–44.
Zumstein V, Schmid H, Kessler T, Engeler D, Mordasini L, Hechelhammer L, Kluth L, Vetterlein M, Betschart P, Abt D. Prostatic artery embolization versus standard surgical treatment for lower urinary tract symptoms secondary to benign prostatic hyperplasia: a systematic review and metaanalysis. Eur Uro Focus 2019:1091–100.
Muellhaupt G, Hechelhammer L, Diener P, Engeler D, Güsewell S, Schmid H, Mordasini L, Abt D. Ejakulationsstörungen nach Embolisierung der Prostata. Eine Neubeurteilung von zwei prospektiven klinischen Studien. Urol Nachrichten 2019; Kongressausgabe 2:19.
Schmid H, Hechelhammer L, Arbelaez E, Mordasini L, Abt D. Technik der arteriellen Prostataembolisation (PAE): Ein Leitfadens Schritt für Schritt. German Medical Science, www.egms.de 2019
Muellhaupt G, Hechelhammer L, Engeler D, Güsewell S, Diener P, Schmid H, Mordasini L, Abt D. Ejakulationsstörungen nach Embolisierung der Prostata. Eine Neubeurteilung von zwei prospektiven klinischen Studien. German Medical Science, www.egms.de 2019
Muellhaupt G, Mordasini L, Schmid H, Kessler T, Zumstein V, Betschart P, Güsewell S, Engeler D, Hechelhammer L, Abt D. Analyse der Hospitalisationskosten der Embolisierungen der Prostata im Vergleich zur transurethralen Resektion der Prostata: Post-hoc-Analyse einer randomisierten kontrollierten Studie. German Medical Science, www.egms.de 2019
Muellhaupt G, Hechelhammer L, Diener P, Engeler D, Güsewell S, Schmid H, Mordasini L, Abt D. Ejaculatory disorders after prostatic artery embolization: a reassessment of two prospective clinical trials. Urology 2019:35–6.
Abt D, Engeler D, Schmid H, Kessler T, Zumstein V, Markart S, Güsewell S, Mordasini L, Muellhaupt G, Hechelhammer L. Outcome prediction of prostatic artery embolization: post hoc analysis of a randomized, open-label, non-inferiority trial. BJU Int 2018; 124:134–144.
Zumstein V, Schmid H, Kessler T, Engeler D, Mordasini L, Hechelhammer L, Kluth L, Vetterlein M, Betschart P, Abt D. Prostatic Artery Embolization versus Standard Surgical Treatment for Lower Urinary Tract Symptoms Secondary to Benign Prostatic Hyperplasia: A Systematic Review and Meta-analysis. Eur Urol Focus 2018
Abt D, Hechelhammer L, Muellhaupt G, Markart S, Güsewell S, Kessler T, Schmid H, Engeler D, Mordasini L. Comparison of prostatic artery embolisation (PAE) versus transurethral resection of the prostate (TURP) for benign prostatic hyperplasia: randomised, open label, non-inferiority trial. BMJ 2018; 361:k2338.
Langenauer J, Betschart P, Hechelhammer L, Güsewell S, Schmid H, Engeler D, Abt D, Zumstein V. Advanced non-contrasted computed tomography post-processing by CT-Calculometry (CT-CM) outperforms established predictors for the outcome of shock wave lithotripsy. World J Urol 2018; 36:2073–2080.
Mordasini L, Schmid H, Kim S, Muellhaupt G, Engeler D, Mattei A, Diebold J, Diener P, Hechelhammer L, Abt D. Prostatic Artery Embolization in the Treatment of Localized Prostate Cancer: A Bicentric Prospective Proof-of-Concept Study of 12 Patients. J Vasc Interv Radiol 2018; 29:589–597.
Schmid H, Hechelhammer L, Mordasini L, Engeler D, Abt D. Endovaskulär evozierte Prostatainfarkte. Embolisierung der Prostataarterien bei benigner Prostatahyperplasie und beim lokalisierten Prostatakarzinom. Leading Opinions Urol 2018; 8:9–10.

Schmid H, Abt D, Hechelhammer L. Arterienembolisation bei benigner Prostatahyperplasie. Zwischen Patientenwunsch und Wirklichkeit. 2018; Kongressausgabe 1
Mordasini L, Schmid H, Hechelhammer L, Mattei A, Engeler D, Abt D. Arterienembolisation beim lokalisierten Prostatakarzinom. Eine prospektive bizentrische Proof-of-concept-Studie. Urol Nachrichten 2018; Kongressausgabe 2:9.
Abt D, Muellhaupt G, Hechelhammer L, Schmid H. Benignes Prostatasyndrom. Arterielle Embolisation: Reif für die Praxis ?. UroForum 2018; 9:32-3.
Mordasini L, Hechelhammer L, Diener P, Diebold J, Mattei A, Engeler D, Kim S, Schmid H, Abt D. Embolisation der Prostataarterien (PAE) beim lokalisierten Prostata-Karzinom: Eine prospektive, bizentrische Proof-of-Concept Studie. German Medica Science, www.egms.de 2018
Abt D, Hechelhammer L, Muellhaupt G, Markart S, Güsewell S, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization (PAE) versus TUR-P zur Behandlung der benignen Prostatahyperplasie: Eine prospektiv-randomisierte Studie. German Medica Science, www.egms.de 2018
Mordasini L, Arbelaez E, Hechelhammer L, Engeler D, Schmid H, Abt D. Die Prostataembolisaton (PE) Beschreibung der Intervention. Urologe 2018; 57 suppl 1:115.
Zumstein V, Betschart P, Hechelhammer L, Schmid H, Abt D, Müller-Gerbl M. CT-calculometry (CT-CM): advanced NCCT post-processing to investigate urinary calculi. World Urol 2018; 36:117-23.
Mordasini L, Schmid H, Kim S, Muellhaupt G, Engeler D, Mattei A, Diebold J, Diener P, Hechelhammer L, Abt D. Prostatic artery embolization in the treatment of localized prostate cancer: a bicentric prospective proof-of-concept study of 12 patients. J Vasc Interv Radiol 2018; 29:589-97.
Abt D, Hechelhammer L, Muellhaupt G, Markart S, Güsewell S, Kessler T, Schmid H, Engeler D, Mordasini L. Comparison of prostatic artery embolisation (PAE) versus transurethral resection of the prostate (TURP) for benign prostatic hyperplasia: randomised, open label, non-inferiority trial. BMJ 2018; 361:K2338.
Abt D, Hechelhammer L, Muellhaupt G, Markart S, Güsewell S, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization (PAE) versus TUR-P zur Behandlung der benignen Prostatahyperplasie: Eine prospektiv-randomisierte Studie. Urologe 2018; 57 suppl 1:37.
Mordasini L, Schmid H, Kim S, Muellhaupt G, Engeler D, Mattei A, Diebold J, Diener P, Hechelhammer L, Abt D. Prostatic Artery embolization (PAE) beim lokalisierten Prostatakarzinom: Eine prospektive, bizentrische Proof-of-Concept Studie. Urologe 2018; 57 suppl 1:79.
Messerli M, Hechelhammer L, Leschka S, Warschkow R, Wildermuth S, Bauer R. Coronary risk assessment at X-ray dose equivalent ungated chest CT: Results of a multi-reader study. Clin Imaging 2017; 49:73-79.
Messerli M, Giannopoulos A, Leschka S, Warschkow R, Wildermuth S, Hechelhammer L, Bauer R. Diagnostic accuracy of chest X-ray dose-equivalent CT for assessing calcified atherosclerotic burden of the thoracic aorta. Br J Radiol 2017; 90:20170469.
Zumstein V, Betschart P, Hechelhammer L, Schmid H, Abt D, Müller-Gerbl M. CT-calculometry (CT-CM): advanced NCCT post-processing to investigate urinary calculi. World J Urol 2017; 36:117-123.

Naehle C, Hechelhammer L, Richter H, Ryffel F, Wildermuth S, Weber J. Efficacy and Clinical Utility of a High-Attenuation Object Artifact Reduction Algorithm in Flat-Detector Image Reconstruction Compared With Standard Image Reconstruction. J Comput Assist Tomogr 2017; 41:572-577.
Abt D, Hechelhammer L, Muellhaupt G, Kessler T, Schmid H, Engeler D, Mordasini L (2016). Prostatic artery embolization (PAE) vs. TUR-P zur Behandlung der benignen Prostatahyperplasie: Zwischenbericht einer randomisierten non-inferiority Studie. Präsentiert bei: -, -
Abt D, Muellhaupt G, Hechelhammer L, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization (PAE): eine kritische Bewertung. Uro-News 2017; 21:28-31.
Abt D, Schmid H, Hechelhammer L, Muellhaupt G, Engeler D, Mordasini L. Prostatic artery embolization (PAE). Seifenblase oder ernsthafte Therapieoption bei der BPH ?. Spectrum Urol 2016; 7:48-9.
Abt D, Muellhaupt G, Hechelhammer L, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization im Vergleich zur TUR-P. Erste Resultate einer prospektiven, randomisierten Studie zur Behandlung der benignen Prostatahyperplasie. Urol Nachrichten, Biermann Verlag GmbH 2016; 09.2016:9.
Abt D, Hechelhammer L, Kessler T, Schmid H, Engeler D, Mordasini L. Aktuell mehr Fragen als Antworten. Embolisation der Prostataarterien (PAE). Leading Opinions Urol 2016; 6:14-5.
Abt D, Muellhaupt G, Hechelhammer L, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization (PAE): Was ist dran an der Embolisation der Prostataarterien zur Behandlung der benignen Prostatavergrößerung ?. Swiss Urology 2016; 4:40-1.
Abt D, Hechelhammer L, Muellhaupt G, Kessler T, Schmid H, Engeler D, Mordasini L. Prostatic artery embolization vs conventional TUR-P in the treatment of benign prostatic hyperplasia: First results of a prospective, randomized non-inferiority trial. Eur Urol Suppl 2016; 15 (3):e1084.
Abt D, Muellhaupt G, Hechelhammer L, Kessler T, Schmid H, Engeler D, Mordasini L. Prostataembolisation (PAE) vs. TUR-P zur Behandlung der benignen Prostatahyperplasie: Erste Resultate einer prospektiven, randomisierten Studie. Urologe 2016; 55 (suppl 1):93.
Erschbamer M, den Hollander J, Sauter D, Erhardt J, Hechelhammer L, Külling F. Endovascular embolisation is a successful and safe treatment for post-operative arterial complications after total hip arthroplasty and revision surgery. International Orthopaedics 2015:1-6.
Erschbamer M, den Hollander J, Sauter D, Erhardt J, Hechelhammer L, Külling F. Endovascular embolisation is a successful and safe treatment for post-operative arterial complications after total hip arthroplasty and revision surgery. Int Orthop 2015; 40:1577-1582.
Cernoch P, Hechelhammer L, von Hessling A, Spross C, Erhardt J, Jost B, Külling F. Pre-operative embolisation of spinal metastasis: technique, complication rate and outcome-clinical experience. Int Orthop 2015; 39:1399-404.
Staubli S, Gramann T, Schwab C, Semela D, Hechelhammer L, Engeler D, Schmid H, Abt D, Mordasini L. Life-threatening bleeding from peristomal varices after cystoprostatectomy: multimodal approach in a cirrhotic, encephalopathic patient with severe portal hypertension. Case Rep Urol 2015; 2015:785010.

Abt D, Mordasini L, Hechelhammer L, Kessler T, Schmid H, Engeler D. Prospektive, randomisierte Studie. PAE versus TUR-P in der Behandlung der BPH. Urologik 2015; 22:10-3.
Hechelhammer L, Abt D, Mordasini L, Muellhaupt G, Schmid H, Engeler D. To bead or not to bead - Embolisation der Prostataarterien zur Behandlung der BPH. Schweiz Med Forum 2015; 15:1188-90.
Mordasini L, Abt D, Engeler D, Hechelhammer L, Schmid H. Prostatic artery embolization vs. conventional TUR-P in the treatment of benign prostatic hyperplasia - Hintergründe, Vorstellung und erste Erfahrungsberichte einer prospektiven, randomisierten Studie. German Medical Science, www.egms.de 2015
Sawatzki M, Hechelhammer L, Meyenberger C, Schönenberger U, Stöckli S. Nanopowder spray for temporary hemostasis in a patient presenting with esophago-carotid fistula after radiation and surgery for a head and neck cancer. Endoscopy 2014; 46 Suppl 1 UCTN:E644-5.
Abt D, Mordasini L, Hechelhammer L, Kessler T, Schmid H, Engeler D. Prostatic artery embolization versus conventional TUR-P in the treatment of benign prostatic hyperplasia: protocol for a prospective randomized non-inferiority trial. BMC Urol 2014; 14:94.
Behme D, Kowoll A, Mpotsaris A, Hader C, Hechelhammer L, Weber J, Weber W. Multicenter clinical experience in over 125 patients with the Penumbra Separator 3D for mechanical thrombectomy in acute ischemic stroke. J Neurointerv Surg 2014
Sawatzki M, Hechelhammer L, Semela D (2014). Accuracy of contrast - enhanced ultrasound for tumor response after RFA / TACE in malignant focal liver lesions in comparison with CT / MRI in a tertiary Swiss GI center.
Meyer A, Stöckli S, Hechelhammer L. [Percutaneous transabdominal thoracic duct embolisation for a chylous fistula after neck dissection]. Laryngorhinootologie 2014; 93:620-1.
Abt D, Mordasini L, Hechelhammer L, Kessler T, Schmid H, Engeler D. Prospektive, randomisierte Studie. PAE versus TUR-P in der Behandlung der BPH. Leading Opinions Urol, 4: 2014:16-9.
Gertsch T, Pfammatter T, Braun M, Hechelhammer L, Meyenberger C, Semela D, Sawatzki M. Leberversagen bei einer 27-jährigen Patientin - Liver Failure in a 27 Years old Female Patient. Praxis 2012; 16:1051-1055.
Gertsch T, Pfammatter T, Braun M, Hechelhammer L, Meyenberger C, Semela D, Sawatzki M. [Liver failure in a 27 years old female patient]. Praxis (Bern 1994) 2012; 101:1051-5.
Pecoraro F, Pfammatter T, Mayer D, Frauenfelder T, Papadimitriou D, Hechelhammer L, Veith F, Lachat M, Rancic Z. Multiple periscope and chimney grafts to treat ruptured thoracoabdominal and pararenal aortic aneurysms. J Endovasc Ther 2011; 18:642-9.
Abderhalden S, Biro P, Hechelhammer L, Pfiffner R, Pfammatter T. CT-guided navigation of percutaneous hepatic and renal radiofrequency ablation under high-frequency jet ventilation: feasibility study. J Vasc Interv Radiol 2011; 22:1275-8.
Cazejust J, De Baère T, Auperin A, Deschamps F, Hechelhammer L, Abdel-Rehim M, Schlumberger M, Lebouilleux S, Baudin E. Transcatheter arterial chemoembolization for liver metastases in patients with adrenocortical carcinoma. J Vasc Interv Radiol 2010; 21:1527-32.

Hechelhammer L, Rancic Z, Pffner R, Mayer D, Meier T, Lachat M, Pfammatter T. Midterm outcome of endovascular repair of ruptured isolated iliac artery aneurysms. J Vasc Surg 2010; 52:1159-63.
Mayer D, Veith F, Lachat M, Pfammatter T, Hechelhammer L, Rancic Z. Abdominal compartment syndrome. Minerva Chir 2010; 65:329-46.
Magnetti F, Thalhammer C, Hechelhammer L, Husmann M, Pfammatter T, Amann-Vesti B. Spontaneous pseudoaneurysm of a femoro-popliteal Omniflow II graft treated with a stentgraft. VASA 2010; 39:196-8.
Rancic Z, Pfammatter T, Lachat M, Hechelhammer L, Frauenfelder T, Veith F, Criado F, Mayer D. Periscope graft to extend distal landing zone in ruptured thoracoabdominal aneurysms with short distal necks. J Vasc Surg 2010; 51:1293-6.
De Baère T, Elias D, Goere D, Auperin A, Hakime A, Rao P, Catherine L, Deschamps F, Teriitehau C, Hechelhammer L. Predictive factors for hypertrophy of the future remnant liver after selective portal vein embolization. Ann Surg Oncol 2010; 17:2081-9.
Mayer D, Rancic Z, Pfammatter T, Hechelhammer L, Veith F, Donas K, Lachat M. Logistic considerations for a successful institutional approach to the endovascular repair of ruptured abdominal aortic aneurysms. Vascular 2010; 18:64-70.
Krauss T, Pfammatter T, Mayer D, Lachat M, Hechelhammer L, Marincek B, Frauenfelder T. Hybrid-repair of thoraco-abdominal or juxtarenal aortic aneurysm: what the radiologist should know. Eur Radiol 2009; 20:1011-22.
Rancic Z, Pfammatter T, Lachat M, Hechelhammer L, Oberkofler C, Veith F, Mayer D. Pull-down technique to allow complete endovascular relining of failed AAA Vanguard endografts with Excluder bifurcated endografts. Eur J Vasc Endovasc Surg 2009; 38:54-60.
Pfammatter T, Hechelhammer L, Pffner R. A "Buddy Wire" technique for successful OptEase filter retrieval. J Vasc Interv Radiol 2009; 20:656-9.
Mayer D, Pfammatter T, Rancic Z, Hechelhammer L, Wilhelm M, Veith F, Lachat M. 10 years of emergency endovascular aneurysm repair for ruptured abdominal aortoiliac aneurysms: lessons learned. Ann Surg 2009; 249:510-5.
De Baère T, Goere D, Auperin A, Abdel-Rehim M, Hechelhammer L, Boige V, Dromain C, Briggs P, Deschamps F, Elias D. Hepatic malignancies: percutaneous radiofrequency ablation during percutaneous portal or hepatic vein occlusion. Radiology 2008; 248:1056-66.
De Baère T, Deschamps F, Teriitheau C, Rao P, Conengraph K, Schlumberger M, Leboulleux S, Baudin E, Hechelhammer L. Transarterial chemoembolization of liver metastases from well differentiated gastroenteropancreatic endocrine tumors with doxorubicin-eluting beads: preliminary results. J Vasc Interv Radiol 2008; 19:855-61.
Hechelhammer L, Pfirrmann C, Zanetti M, Hodler J, Boos N, Schmid M. Imaging findings predicting the outcome of cervical facet joint blocks. Eur Radiol 2006; 17:959-64.
Hechelhammer L, Lachat M, Wildermuth S, Bettex D, Mayer D, Pfammatter T. Midterm outcome of endovascular repair of ruptured abdominal aortic aneurysms. J Vasc Surg 2005; 41:752-7.

Hechelhammer L, Wildermuth S, Lachat M, Pfammatter T. Endovascular repair of inflammatory abdominal aneurysm: a retrospective analysis of CT follow-up. *J Vasc Interv Radiol* 2005; 16:737-41.

Hechelhammer L, Crook D, Widmer U, Wildermuth S, Pfammatter T. Thrombosis of a superior mesenteric vein aneurysm: transarterial thrombolysis and transhepatic aspiration thrombectomy. *Cardiovasc Intervent Radiol* 2004; 27:551-5.

Hechelhammer L, Schertler T, Seebach J, Kurrer M, Marincek B, Pfammatter T. Transvenous biopsy of cavo-atrial tumors with the Quick-Core needle. *Cardiovasc Intervent Radiol* 2004; 27:251-3.

Vavricka S, Halter J, Hechelhammer L, Himmelmann A. *Pneumocystis carinii* pneumonia in chronic lymphocytic leukaemia. *Postgrad Med J* 2004; 80:236-8.

Pfammatter T, Mayer D, Pfiffner R, Koehler C, Hechelhammer L, Lachat M. Repair of abdominal aortic aneurysms with the Excluder bifurcated stent-graft. *J Cardiovasc Surg (Torino)* 2003; 44:549-52.

Hechelhammer L, Störkel S, Odermatt B, Heitz P, Jochum W. Epidermal growth factor receptor is a marker for syncytiotrophoblastic cells in testicular germ cell tumors. *Virchows Arch* 2003; 443:28-31.

Projekte (4)

A prospective randomized, parallel-group, multicentre, superiority trial of the SUPERA peripheral stent system in patients with femoro-popliteal artery disease

Klinische Forschung - 01.01.2019 - 31.12.2025

Laufend

VOYAGER PAD: An international, multicenter, randomized, double-blind, placebocontrolled

Klinische Forschung - 15.05.2016 - 15.01.2019

Automatisch geschlossen

Prostatic Artery Embolization vs. conventional TUR-P in the Treatment of Benign Prostatic Hyperplasia: A prospective randomized trial

Klinische Forschung - 05.02.2014 - 05.04.2023

Automatisch geschlossen

Liver Function Assessment after Placement of a Transjugular Intrahepatic Portosystemic Shunt (TIPS) a Monocenter, prospective interventional study

Klinische Forschung - 16.11.2013 - 16.04.2019

Abgeschlossen