



Dr. med. Patrik Weder

Contact

Dr. med. Patrik Weder
Rorschacherstrasse 95
9007 9007 St. Gallen
Switzerland

T 071/ 494 11 11
patrik.weder@kssg.ch

Units

Medizinische Onkologie und Hämatologie, Brustzentrum St.Gallen

Publications (10)

Huober J, Weder P, Ribí K, Thürlimann B, Thery J, Li Q, Vanlemmens L, Guíu S, Brain E, Grenier J, Dalenc F, Levy C, Savoye A, Müller A, Membrez-Antonioli V, Gerard M, Lemonnier J, Hawle H, Dietrich D, Boven E, Bonnefoi H, Swiss Group for Clinical Cancer Research, Unicancer Breast Group, and Dutch Breast Cancer Research Group. Pertuzumab Plus Trastuzumab With or Without Chemotherapy Followed by Emtansine in ERBB2-Positive Metastatic Breast Cancer: A Secondary Analysis of a Randomized Clinical Trial. *JAMA Oncol* 2023

Schmid S, Zaman K, Weder P, von Moos R, Thürlimann B, Rochlitz C, Pestalozzi B, Pagani O, Oehlschlegel C, Nolè F, Munzone E, Mamot C, Goldhirsch A, Aebi S, Klingbiel D, Ruhstaller T. Long-term responders to trastuzumab monotherapy in first-line HER-2+ advanced breast cancer: characteristics and survival data. *BMC cancer* 2019; 19:902.

Zweifel M, Sessa C, Schoenfeld W, Tapia C, Brauchli P, Hawle H, Pilop C, Rothgiesser K, Bigler M, Pagani O, von Moos R, Weder P, Riniker S, Thürlimann B. Phase I trial of the androgen receptor modulator CR1447 in breast cancer patients. *Endocr Connect* 2017; 6:549-556.

Voskens C, Mateus C, Mohr P, Paetzold S, Satzger I, Schadendorf D, Schlaeppli M, Schuler G, Schuler-Thurner B, Trefzer U, Ulrich J, Vaubel J, von Moos R, Weder P, Wilhelm T, Göppner D, Dummer R, Klein C, Keller U, Goldinger S, Loquai C, Robert C, Kaehler K, Berking C, Bergmann T, Bockmeyer C, Eigentler T, Fluck M, Garbe C, Gutzmer R, Grabbe S, Hauschild A, Hein R, Hundorfean G, Justich A, Heinzerling L. The Price of Tumor Control: An Analysis of Rare Side Effects of Anti-CTLA-4 Therapy in Metastatic Melanoma from the Ipilimumab Network. *PloS one* 2013; 8:e53745.

Hundsberger T, Brügge D, Putora P, Weder P, Weber J, Plasswilm L. Re-irradiation with and without bevacizumab as salvage therapy for recurrent or progressive high-grade gliomas. *J Neurooncol* 2013; 112:133-9.

Hofer S, Wick W, Zander T, Weder P, Roelcke U, Pichler J, Ochsenbein A, Marosi C, Lemke D, Huber U, Hottinger A, Greil R, Elandt K, Weller M. Clinical outcome with bevacizumab in patients with recurrent high-grade glioma treated outside clinical trials. *Acta Oncol* 2011; 50:630-5.

Brügge D, Putora P, Hundsberger T, Weder P, van Leyen K, Plasswilm L (2011). Re-Irradiation with Bevacizumab in Recurrent Malignant Gliomas.

Baumann M, Weder P, Köberle D. Neue Behandlungsoptionen beim metastasierten Kolorektalkarzinom - Bewertung der aktuellen Studienresultate und Konsequenzen. *Schweizer Zeitschrift für Onkologie* 2009:14-19.

Weder P, Anliker M, Itin P, Bargetzi M. Familial cutaneous mycosis fungoides: successful treatment with a combination of gemcitabine and alemtuzumab. *Dermatology* 2004:3-281.

Weder P, Anliker M, Itin P, Bargetzi M. Familial cutaneous mycosis fungoides: successful treatment with a combination of gemcitabine and alemtuzumab. *Dermatology (Basel, Switzerland)* 2004; 208:281-3.

Projects (13)

IBCSG 55-17 "Touch" Phase II open-label, multicenter, randomized trial of neo-adjuvant palbociclib in combination with hormonal therapy and HER2 blockade versus paclitaxel in combination with HER2 blockade for elderly patients with hormone receptor positive/HER2 positive early breast cancer

Clinical Studies - Dec 4, 2018 - Dec 31, 2021

Automatically Closed

SAKK 24/14: Anti-EGFR-immunoliposomes loaded with doxorubicin in patients with advanced triple negative EGFR positive breast cancer – A multicenter single arm phase II trial

Clinical Studies - Nov 7, 2016 - May 31, 2023

Automatically Closed

Eribulin as 1st line treatment in elderly patients (≥ 70 years) with advanced breast cancer: a multicenter phase II trial

Clinical Studies - Aug 11, 2015 - Jun 30, 2019

Automatically Closed

Phase III international, randomized study of Trabectedin plus Pegylated Liposomal Doxorubicin (PLD) versus Carboplatin plus PLD in patients with ovarian cancer progress-ing within 6-12 months of last platinum

Clinical Studies - Jul 4, 2014 - Apr 16, 2021

Automatically Closed

A Multicenter Phase III Randomized study with second line chemotherapy plus or minus Bevacizumab in patients with Plati-num sensitive Epithelial ovarian cancer recurrence after a Bevacizumab/chemotherapy first line

Clinical Studies - May 27, 2014 - Jun 27, 2016

Automatically Closed

A Phase I and stratified, multicenter Phase II trial of trans-dermal CR1447 (4-OH-testosterone) in endocrine responsive-HER2 negative and triple negative-androgen receptor positive metastatic or locally advanced breast cancer

Clinical Studies - Apr 14, 2014 - Jul 23, 2017

Automatically Closed

A randomized phase II study evaluating different schedules of nab-Paclitaxel in metastatic breast cancer

Clinical Studies - Oct 21, 2013 - Apr 30, 2016

Completed

A randomized phase II trial of pertuzumab in combination with trastuzumab with or without chemotherapy, both followed by T-DM1 in case of progression, in patients with HER2-positive metastatic breast cancer

Clinical Studies - May 1, 2013 - May 1, 2019

Automatically Closed

SAKK 22/10: A randomized phase II trial of pertuzumab in combination with trastuzumab with or without chemotherapy, both followed by T-DM1 in case of progression, in patients with HER2-positive metastatic breast cancer

Clinical Studies - Apr 29, 2013 - Jun 27, 2015

Automatically Closed

Avastin plus Radiotherapy in Elderly Patients with Glioblastoma (ARTE) A phase II, randomized, parallel-group, explorative, open labeled multi-center study of bevacizumab (Avastin®) in elderly subjects with newly diagnosed glioblastoma

Clinical Studies - Aug 17, 2012 - May 30, 2015

Completed

An open-label, multicenter expanded access study of RO5185426 in patients with metastatic melanoma

Clinical Studies - Apr 5, 2011 - Jun 30, 2012

Completed

Assessment of a novel lyophilizable virosome formulation as an adjuvant to the induction of effector cells specific for Melan-A/MART-1 melanoma associated antigen

Fundamental Research - Feb 1, 2010 - Jan 31, 2011

Completed

Ein Phase III Studienprogramm zur Kombination von Bevacizumab, Everolimus (RAD001) oder Lapatinib mit einer neoadjuvanten Chemotherapie bei primärem Mammakarzinom

Clinical Studies - Jun 30, 2009 - Jun 30, 2012

Completed